



15 March 2021

# Cisco Meeting Server Configuration Report

This report has been automatically generated by the UPLINX Report Tool. Nothing has been edited (apart from this note). Please note that due to aliasing, some borders might not display correctly on the screen. This depends on the resolution of the screen. All lines appear perfectly in print or in different resolutions.

## Cisco CMS Config Report

As-Built Documentation for project - Sample CMS v3.1

## Contents

1 Report Information .....	4
1.1 Report Generation .....	4
2 Status .....	4
2.1 General Status .....	4
2.2 Licensing .....	5
2.3 Cluster Licensing .....	6
3 System .....	6
3.1 General Configuration .....	6
3.2 Cluster Settings .....	6
3.3 Database Settings .....	7
3.4 TURN Servers .....	7
3.5 Web Bridges .....	7
3.6 CDR Receivers .....	8
4 Directory .....	8
4.1 Active Directory .....	8
4.2 Directory Search Locations .....	8
4.3 LDAP .....	9
4.3.1 LDAP Servers .....	9
4.3.2 LDAP Mappings .....	10
4.3.3 LDAP Sources .....	10
4.3.4 LDAP Syncs .....	10
5 Profiles .....	11
5.1 Call Branding Profiles .....	11
5.2 DTMF Profiles .....	11
5.3 Call Profiles .....	12
5.4 Call Leg Profiles .....	12
5.5 Compatibility Profiles .....	13
5.6 IVR Branding Profiles .....	14
5.7 Dial-in Security Profiles .....	14
5.8 Web Bridge Profiles .....	14
6 Users .....	14
6.1 User Profiles .....	15
6.2 Users .....	15
7 Tenants and Tenant Groups .....	38
7.1 Tenants .....	38
7.2 Tenant Groups .....	38
8 Spaces .....	39
9 Calls .....	81
9.1 Call Bridges .....	81
9.2 Call Bridges Group .....	82
9.3 Call Settings .....	82
9.4 Incoming Calls .....	83
9.4.1 Incoming Dial Plan Rules .....	84
9.4.2 Call Forwarding .....	84
9.5 Outbound Calls .....	84

---

9.5.1 Outbound Dial Plan Rules .....	85
9.5.2 Dial Transforms .....	85
9.6 IVR .....	86
10 Command Line Output .....	86
10.1 Server 10.5.1.131 .....	86
10.1.1 Hostname of CMS .....	86
10.1.2 IPv4 Address Port A .....	87
10.1.3 IPv6 Address Port A .....	87
10.1.4 IPv4 Address Port B .....	87
10.1.5 IPv6 Address Port B .....	87
10.1.6 ntp server list .....	87
10.1.7 Time Zone Configuration .....	87
10.1.8 used DNS server to resolve DNS .....	87
10.1.9 User List .....	87
10.1.10 Syslog Configuration .....	88
10.1.11 WebAdmin Configuration .....	88
10.1.12 Call Bridge Configuration .....	88
10.1.13 Web Bridge Configuration .....	88
10.1.14 XMPP Configuration .....	88
10.1.15 XMPP Call Bridge Configuration .....	88

## 1 Report Information

Cisco Meeting Server carries on-premises audio, video and web communication. It works with third-party devices and can be integrated with Cisco Communications Manager for ad hoc video meetings.

Participants can join the meeting via Cisco or third-party video endpoints, a Cisco Jabber client, Cisco Meeting App, either native or via a WebRTC-compatible browser, or Skype for Business to participate in the meeting.

Cisco Meeting Server, Cisco Meeting App, and Cisco Meeting Management have been optimized to be installed with Cisco Unified Communications Manager, Cisco Expressway or Video Communication Server (VCS) for call control, Cisco Expressway for firewall traversal, and Cisco TelePresence Management Suite for scheduling.

Most configurations of the Cisco Meeting Server are performed through the CMS API via XML requests. The CMS also includes a Web Admin with limited configuration options that include:

- General Configuration
- Active Directory Configuration for one main LDAP server. Multiple servers need to be configured via the API
- Call Settings
- Incoming and Outgoing Call setup with Rules and Dial Transforms
- CDR Configuration
- Spaces, also referred to in the API as CoSpaces
- CMA user setting to allow/disallow incoming calls

### 1.1 Report Generation

This configuration report for Cisco Meeting Server has the following details:

Report Info	
Report Date	15-Mar-21 10:28:46 AM
Report generated for	Cisco CMS Config Report
Description	As-Built Documentation for project - Sample CMS v3.1
Server Info	
CMS version	3.1.2
CMS IP	10.5.1.131
Report Settings	
Report Type	Direct Report
Visual Style	Blu Light.css
Report Content	All objects
Template HTML	CMSreportTemplate.htm
Template Word	Gears-Blue-universal.doc
Report Tool Info	
Report Tool Version	12.0.29 / ?? Mar 2021
Report Tool License	Licensed [Ent all]

## 2 Status

This section contains:

- General status
- Licensing

### 2.1 General Status

The following table shows the system status.

System Status	
Uptime	2 days, 13 hours, 14 minutes
Build version	3.1.2
Media module status	1/1 (full media capacity)

Lync Edge registrations	4 configured, 4 in progress
web app calls	0
SIP calls	0
Lync calls	0
Forwarded calls	0
Completed calls	0
Activated conferences	1
Active Lync subscribers	0
Total outgoing media bandwidth	0
Total incoming media bandwidth	0

## 2.2 Licensing

You will need activation keys and licenses for the Cisco Meeting Server and Cisco user licenses. From CMS version 3.0 onwards, a GET operation on the existing /system/licensing API now only returns the contents of the license file (i.e. the feature components) on a per Meeting Server instance.

The following activation keys or licenses are required to use the Cisco Meeting Server:

- Call Bridge
- Branding
- Recording
- Streaming

The following licenses are present:

Licensing	
Call Bridge	noLicense
Call Bridge No Encryption	noLicense
Web Bridge	noLicense
Customizations	noLicense
Turn	noLicense
Branding	noLicense
Recording	noLicense
Streaming	noLicense
Personal	noLicense
Shared	noLicense
Capacity Units	noLicense
Multiparty Licensing	
Timestamp	2021-03-15T09:24:45Z
Personal License Limit	0
Shared License Limit	0
Capacity Unit Limit	0
Users	258
Personal Licenses	0
Participants Active	0
Calls Active	0
Weighted Calls Active	0.000
Calls Without Personal License	0
Weighted Calls Without Personal License	0.000
Capacity Unit Usage	0.000
Capacity Unit Usage Without Personal License	0.000
Active Personal Licenses	
Active Personal Licenses	

## 2.3 Cluster Licensing

The newly introduced API object /clusterLicensing returns the license status and expiry date (if applicable) for a Meeting Server cluster.

The following activation keys or licenses are required on this Meeting Server cluster:

- Call Bridge
- Branding
- Recording
- Streaming

The following licenses are present:

Cluster Licensing	
Call Bridge	noLicense
Call Bridge No Encryption	noLicense
Customizations	noLicense
Recording	noLicense

## 3 System

The System section contains the following configuration items:

- General Configuration
- Cluster Settings
- Database Settings
- TURN Servers
- Web Bridges (CMS 3.0 and later)
- Recorders (only CMS version 2.x)
- Streamers (only CMS version 2.x)
- XMPP Settings (only CMS version 2.x)
- CDR Receivers

### 3.1 General Configuration

The menu *Configuration > General* of the Web Admin interface on the Meeting Server shows a summarized collection of General Configuration settings.

General Configuration	
<b>TURN Server settings</b>	
TURN Server address (CMS)	10.5.1.1
TURN Server address (web app)	10.5.1.1
Username	admin
<b>Lync Edge settings</b>	
Server address	10.5.1.166
Username	admin
Number of registrations	4
<b>IVR</b>	
IVR numeric ID	3
Joining scheduled Lync conferences by ID	enabled

### 3.2 Cluster Settings

This Call Bridge node has the following settings:

Cluster Settings	
Unique Name	
Peer Link Bit Rate	5000
Max Peer Video Streams	
Participant Limit	2000

Load Limit	50
New Conference Load Limit Basis Points	5000
Existing Conference Load Limit Basis Points	8000

### 3.3 Database Settings

The Call Bridge reads from and writes to the database storing the space and configuration information. Database clustering can be disabled or enabled across cluster nodes. If enabled, it contains total nodes and the master name is in the 'Node-In-Use' setting.

<database clustered="disabled"></database>

### 3.4 TURN Servers

The TURN server provides firewall traversal technology, allowing the Meeting Server to be deployed behind a Firewall or NAT. To connect to the deployment from external Cisco Meeting Apps, Lync clients or SIP endpoints registered to a SIP or voice call control device, you need to enable the TURN server.

Note: Cisco plans to remove the TURN server component from the Cisco Meeting Server software in a future version.

The following TURN Servers are configured:

TURN Servers		
ID	Details	
589ddf3-b0ff-4c1d-85b1-4812b00e6217	Server Address	10.5.1.1
	Client Address	
	Num Registrations	0
	Username	
	Use Short Term Credentials	false
	Type	cms
	Call Bridge	callBridges1 [da4004d7-9a3c-497d-8169-68d758ee41c8]
70be2794-dcce-4507-af36-aa8b4ebbfde3	Server Address	10.5.1.1
	Client Address	10.5.1.100
	Num Registrations	45
	Username	admin
	Use Short Term Credentials	false
	Type	standard
	Call Bridge	callBridges1 [da4004d7-9a3c-497d-8169-68d758ee41c8]

### 3.5 Web Bridges

The Web Bridge is required for Cisco Meeting Apps to look up guest login when using a web browser that does not support WebRTC (for example Internet Explorer). The Web Bridge is used by the WebRTC app. If you are deploying the WebRTC app you need to set the network interface for the Web Bridge and then enable it.

The following Web Bridge elements can be rebranded via the API:

- Sign-in background image for WebRTC app
- Sign-in logo
- Text below sign-in logo
- Text on browser tab

Web Bridges		
ID	Details	
eb56526f-e48f-4673-a55f-cc6fccddfee6	Url	http://webBridges.com/webBridges.asp
	Tenant	tenant1 [e135fe4a-f019-42b4-a114-9e06e763d328]
	Web Bridge Profile	webBridgeProfiles1 [54d7c9e9-8b89-461f-90b9-3cfbc16dd9a]

### 3.6 CDR Receivers

The Meeting Server generates Call Detail Records (CDRs) internally for key call-related events, such as a new SIP connection arriving at the server, or a call being activated or deactivated. It can be configured to send these CDRs to a remote system to be collected and analyzed.

There is no persistent storage of CDRs on Meeting Servers; CDRs are temporarily buffered on the Meeting Server before being streamed to the CDR storage receiver. When they have been sent to the CDR receiver, CDRs are removed from the Meeting Server. The Meeting Server supports up to 4 CDR receivers.

The following CDR receivers are configured:

CDR Receivers	
Cdr Receiver	http://10.5.1.1/cdr.aspx

## 4 Directory

The Directory section contains the following configuration items:

- Active Directory Configuration (from admin web page)
- Directory Search Locations
- LDAP - Multiple LDAP servers can be configured via the API. These LDAP settings are shown here.
- LDAP Servers
- LDAP Mappings
- LDAP Sources
- LDAP Syncs

### 4.1 Active Directory

For users to utilize the Cisco Meeting Apps to connect to the Meeting Server, an LDAP server (currently Microsoft Active Directory or OpenLDAP) must be configured. The Meeting Server imports the User accounts from the LDAP server.

The server uses the concept of filters, rules, and templates, which allow you to separate users into groups.

The Web Admin interface on the Meeting Server can only configure one single LDAP server as shown below. However, the Meeting Server supports multiple LDAP servers which can be configured via the API. Those are listed in the following section LDAP.

Active Directory	
<b>Active Directory Server Settings</b>	
Address	10.5.1.166
Port	389
Secure connection	false
Username	CN=Administrator,CN=Users,DC=lab,DC=test
<b>Corporate Directory Settings</b>	
Restrict search to searcher OU	true
<b>Import Settings</b>	
Base distinguished name	DC=lab,DC=test
Filter	(sAMAccountName=*)
<b>Field Mapping Expressions</b>	
Display name	\$cn\$
Username	\$\$sAMAccountName\$@lab.test
Space name	\$\$sAMAccountName\$.space
Space URI user part	
Space secondary URI user part	
Space call ID	88\$telephoneNumber\$

### 4.2 Directory Search Locations

This section shows additional external directory search locations that the Call Bridge will consult when users of Cisco Meeting Apps perform searches.



Directory Search Locations		
ID	Details	
54d885d1-a4a6-407c-9a78-69878e1ad8cd	Ldap Server	AD2013 [5f1531e9-3db7-4ea2-98db-07ccd9b9765c]
	Base Dn	
	Filter Format	
	Priority	3
	Label	
	Tenant	tenant1 [e135fe4a-f019-42b4-a114-9e06e763d328]
	First Name	first
	Last Name	last
	Display Name	
	Phone	
	Mobile	
	Email	
	Sip	
Organisation		
6a4502e4-9256-4b3c-bb52-227cdbfee5d8	Ldap Server	AD2013 [5f1531e9-3db7-4ea2-98db-07ccd9b9765c]
	Base Dn	ou=lab,ou=test
	Filter Format	
	Priority	1
	Label	
	Tenant	tenant1 [e135fe4a-f019-42b4-a114-9e06e763d328]
	First Name	
	Last Name	
	Display Name	
	Phone	
	Mobile	
	Email	
	Sip	
Organisation		

### 4.3 LDAP

The LDAP configuration items relate to the Meeting Server's interaction with one or more LDAP servers (for instance, Active Directory), used to import user accounts to the Meeting Server. Multiple LDAP servers can only be configured via the API. These LDAP settings are shown here. This section contains:

- LDAP Servers
- LDAP Mappings
- LDAP Sources
- LDAP Syncs

#### 4.3.1 LDAP Servers

One or more LDAP servers should be configured, with each one having associated username and password information for the Meeting Server to use to connect to it, for the purpose of retrieving user account information.

The passwords are not cached on the Meeting Server, a call is made to the LDAP server when a Cisco Meeting App authenticates, and therefore passwords are managed centrally and securely on the LDAP server.

LDAP Servers		
ID	Details	
5f1531e9-3db7-4ea2-98db-07ccd9b9765c	Address	10.5.1.166
	Name	AD2013
	Username	
	Port Number	389

LDAP Servers		
ID	Details	
	Secure	false

### 4.3.2 LDAP Mappings

LDAP mappings define the form of the user account names which will be added to the system when users are imported from configured LDAP.

The following LDAP mappings are configured:

LDAP Mappings		
ID	Details	
7543e157-7dca-4206-9172-700bbfeae1d8	Jid Mapping	
	Name Mapping	\$cn\$
	Cdr Tag Mapping	
	Co Space Name Mapping	
	Co Space Uri Mapping	
	Co Space Secondary Uri Mapping	
	Co Space Call Id Mapping	
	Authentication Id Mapping	

### 4.3.3 LDAP Sources

LDAP Sources tie together configured LDAP servers and LDAP mappings, along with parameters of its own, which correspond to the actual import of a set of users. An LDAP source takes an LDAP server and an LDAP mapping combination and imports a filtered set of users from that LDAP server. This filter is determined by the LDAP source's "baseDn" (the node of the LDAP server's tree under which the users can be found) and a filter to ensure that user accounts are only created for LDAP objects that match a specific pattern.

The following LDAP Sources are configured:

LDAP Sources		
ID	Details	
7e1775e7-1e01-4785-bd7c-826e42478e68	Name	ldapSources1
	Server	AD2013 [5f1531e9-3db7-4ea2-98db-07ccd9b9765c]
	Mapping	7543e157-7dca-4206-9172-700bbfeae1d8
	Tenant	tenant1 [e135fe4a-f019-42b4-a114-9e06e763d328]
	Base Dn	dc=lab,dc=test
	Filter	
	User Profile	eb702b80-ad3a-4b0c-b482-d17665b34b33
	Non Member Access	true

### 4.3.4 LDAP Syncs

The following LDAP Syncs are pending or in-progress:

LDAP Syncs		
ID	Details	
20679fc9-41a3-410f-9401-a5651b1d3558	State	failed
	Failure Reason	ldapError
	Creation Time	2021-03-15T09:24:30Z
	Start Time	2021-03-15T09:24:30Z
	End Time	2021-03-15T09:24:30Z

## 5 Profiles

This chapter lists the Profiles. They include:

- Call Branding Profiles
- DTMF Profiles
- Call Profiles
- Call Leg Profiles
- Compatibility Profiles
- IVR Branding Profiles
- Dial-in Security Profiles (starting in CMS version 3.0)
- Web Bridge Profiles (starting in CMS version 3.0)

### 5.1 Call Branding Profiles

Call branding profiles can define the experience when dialing into a scheduled conference.

To customize the language, the language files by Cisco were used and made available to the CMS via the IIS web server at the specified domain. The same applies to the customized background picture. At the TMS you will find this directory under C:\inetpub\wwwroot\Branding-CMS.If you want to change these files, you can do this in this directory without having to adjust the configuration of the CMS. For more details, please see the Customization Guidelines by Cisco.

The following Interactive Call Branding Profiles are configured:

Call Branding Profiles		
ID	Details	
5b61c44f-8045-4632-87b5-d2b648a03dde	Resource Location	http://www.lab.test/image.png
	Invitation Template	http://www.lab.test/invitationTemplate.html
d328bdc8-0486-492a-9c33-9a3ac340857d	Resource Location	http://www.lab.test/img.png
	Invitation Template	http://www.lab.test/invitationTemplate.html

### 5.2 DTMF Profiles

DTMF Profiles can be used to define DTMF sequences that can be used to control audio. The DTMF Profile does not define the ability to perform the actions, it defines the DTMF string that will invoke action. The definition for who has the authority to invoke that action within the coSpace is defined at the callLegProfile level.

The following DTMF Profiles are configured:

DTMF Profiles		
ID	Details	
2c244f81-92a5-48c6-824e-ec5dcaa1ca6b	Mute Self Audio	##
	Unmute Self Audio	
	Toggle Mute Self Audio	
	Lock Call	
	Unlock Call	
	Mute All Except Self Audio	#
	Unmute All Except Self Audio	#
	End Call	@
	Next Layout	*
	Previous Layout	
	Start Recording	
	Stop Recording	
	Start Streaming	
	Stop Streaming	
	Allow All Mute Self	
	Cancel Allow All Mute Self	
Allow All Presentation Contribution		

DTMF Profiles		
ID	Details	
	Cancel Allow All Presentation Contribution	
	Mute All New Audio	
	Unmute All New Audio	
	Default Mute All New Audio	
	Mute All New And All Except Self Audio	
	Unmute All New And All Except Self Audio	
	Get Total Participant Count	
60f48b13-7067-4068-a704-4451b0584e38	Mute Self Audio	
	Unmute Self Audio	
	Toggle Mute Self Audio	
	Lock Call	
	Unlock Call	
	Mute All Except Self Audio	
	Unmute All Except Self Audio	
	End Call	
	Next Layout	
	Previous Layout	
	Start Recording	
	Stop Recording	
	Start Streaming	
	Stop Streaming	
	Allow All Mute Self	
	Cancel Allow All Mute Self	
	Allow All Presentation Contribution	
	Cancel Allow All Presentation Contribution	
	Mute All New Audio	
	Unmute All New Audio	
	Default Mute All New Audio	
	Mute All New And All Except Self Audio	
	Unmute All New And All Except Self Audio	
	Get Total Participant Count	

### 5.3 Call Profiles

Call Profiles control the maximum number of active simultaneous participants and the in-call experience for SIP calls. Call Profiles can be attached at the system, tenant or coSpace level, with the most specific taking effect.

The following Call Profiles are present:

Call Profiles		
ID	Details	
0149a5a5-515b-434f-a863-d535c7755e4c	Participant Limit	5
	Locked	false
	Recording Mode	manual

### 5.4 Call Leg Profiles

A Call Leg Profile defines a set of in-call behaviors. A call leg is a logical connection; a voice call comprises two call legs. The values in the Call Leg Profile set for a coSpace would be used for call legs in that coSpace, overriding any

values set in the Call Leg Profile specified for the tenant that the coSpace is associated with. CoSpace, coSpaceUser, accessMethod, and tenant objects can optionally have a Call Leg Profile association.

The following Call Leg Profiles are present:

Call Leg Profiles		
ID	Details	
08b4743b-f10a-4eb0-bf37-a5906b36df04	Needs Activation	
	Default Layout	speakerOnly
	Presentation Display Mode	
	Mute Self Allowed	
	End Call Allowed	false
	Set Importance Allowed	
92c7032e-f40d-4a5e-9d96-4cbe7c296595	Needs Activation	
	Default Layout	
	Presentation Display Mode	
	Mute Self Allowed	
	End Call Allowed	
	Set Importance Allowed	
efcb6899-f57e-42f4-97b4-a9306510a78c	Needs Activation	false
	Default Layout	speakerOnly
	Presentation Display Mode	dualStream
	Mute Self Allowed	true
	End Call Allowed	false
	Set Importance Allowed	false

## 5.5 Compatibility Profiles

Compatibility Profiles contain compatibility settings for SIP calls including:

- SIP UDT
- SIP Multistream
- SIP Media Payload Type
- Chrome Web RTC Video Codec
- h.264 CHP Mode

Compatibility Profiles		
ID	Details	
0e40d076-b64f-4692-8e3e-e2106c70d986	Sip Udt	
	Sip Media Payload Type Mode	
	Chrome Web Rtc H264interop Mode	
	Distribution Link Media Traversal	
33a2957f-234a-4762-aa76-586cec3a627e	Sip Udt	
	Sip Media Payload Type Mode	auto
	Chrome Web Rtc H264interop Mode	auto
	Distribution Link Media Traversal	enabled
ef2abdda-95c5-4860-ba31-18d402a67b42	Sip Udt	
	Sip Media Payload Type Mode	
	Chrome Web Rtc H264interop Mode	
	Distribution Link Media Traversal	
f32b1b24-8d4f-406e-8dbb-9f0b159e1725	Sip Udt	true
	Sip Media Payload Type Mode	auto
	Chrome Web Rtc H264interop Mode	auto
	Distribution Link Media Traversal	enabled

## 5.6 IVR Branding Profiles

IVR branding profiles can define the experience when dialing into an IVR. An Interactive Voice Response (IVR) Branding Profile is assigned to a tenant.

The following Interactive Voice Response (IVR) Branding Profiles are configured:

IVR Branding Profiles	
ID	Resource Location
358fdf4e-d244-428e-93ac-d52a0a425eb5	http://ivrBrandingProfiles.lab.test
4efb066f-c2f2-4f0d-93a9-da78962f391b	http://ivrBrandingProfiles2.lab.test

## 5.7 Dial-in Security Profiles

Dial-in Security Profiles (starting in CMS version 3.0) allow to define password parameters and are used to implement a minimum passcode length. The parameters of a Dial-in Security Profile are name, minPasscodeLength and allowOutOfPolicy. If these parameters are not specified at any level, the default settings will be minPasscodeLength=0 and allowOutOfPolicy=true.

After defining an Dial-in Security Profile, it can then be assigned to a tenant, coSpace or coSpace template, access method template or it can be set as top level (global) dial-in security profile. The default setting of these config items in the parameter dialInSecurityProfiles is 'unset'.

The following Dial-in Security Profiles are configured:

Dial-in Security Profiles		
ID	Details	
3fff1ea9-4b4a-459f-bd2b-88aebb43248e	Name	DSP-1
	Min Passcode Length	6
	Allow Out Of Policy	
6d358e8c-938c-45cd-a248-fc4e4922a6a6	Name	DSP-2
	Min Passcode Length	5
	Allow Out Of Policy	true

## 5.8 Web Bridge Profiles

Web Bridge Profiles (starting in CMS version 3.0) allow to apply the same settings for all, or a specified group of Web Bridges, not just on a per Web Bridge basis. After defining a Web Bridge Profile, it can then be assigned to a tenant or globally to the system profile. The new API parameter /system/profiles/webBridgeProfile allows you to specify and set the top level (global) web bridge profile.

The following Web Bridge Profiles are configured:

Web Bridge Profiles		
ID	Details	
1032b8f4-91da-4b01-8ba4-f6f82d6255f5	Name	webBridgeProfiles2
	Allow Passcodes	true
	Allow Secrets	true
	Resolve Co Space Uris	off
54d7c9e9-8b89-461f-90b9-3cfbc16dd9a	Name	webBridgeProfiles1
	Allow Passcodes	
	Allow Secrets	true
	Resolve Co Space Uris	

## 6 Users

The section Users contains:

- User Profiles
- CMA User Settings

- Users

## 6.1 User Profiles

User profiles control the facilities provided to the users in the profile, for instance whether they can create new spaces, create new calls, make phone calls, slave SIP endpoints or be allowed to send and receive chat messages when in a point to point call with another user.

User Profiles		
ID	Details	
eb702b80-ad3a-4b0c-b482-d17665b34b33	Audio Participation Allowed	true
	Presentation Participation Allowed	true
	Has License	true

## 6.2 Users

If you plan for users to utilize the Cisco Meeting Apps to connect to the Meeting Server, then you must have an LDAP server. User accounts are imported from the LDAP server. You can create usernames by importing fields from LDAP as described in LDAP configuration. The passwords are not cached on the Meeting Server, they are managed centrally and securely on the LDAP server. When a Cisco Meeting App authenticates, a call is made to the LDAP server.

Multi-tenancy means that groups of users can be entirely segmented within the solution as required by service provider deployments e.g. users will only be able to meet, assign users to spaces, and search in the directory within the same configured customer groups.

The following users have been imported:

Users				
ID	User Jid	Name	Email	coSpaces
fdc474a0-7d31-4e67-8fd3-bcec33b2c10f	1300.ORANGE@lab.test	1300 ORANGE	1300ORANGE@lab.test	1300.ORANGE.space [cac08fa8-ee99-417f-88d7-4744688614c2]
e2ebab02-6a07-4d93-8415-a227a6916628	AD2013\$@lab.test	AD2013		AD2013\$.space [595aa366-5ecb-48a9-90b7-2acd5a846183]
3a7a27c3-3e3d-4cfc-a29e-33f1300b35e8	ADFSGROUP@lab.test	ADFSGROUP		ADFSGROUP.space [3f2c7457-df66-4969-a647-f21c3ead35a1]
16ffaafa-a3f3-448a-8c48-7b9da9467df5	aps_user_template@lab.test	APS UserTemplate		aps_user_template.space [9b67cd89-440b-46f0-a85c-3351b704df1f]
92726ad5-93bc-482a-b9bc-3dee19e45508	Access\20Control\20Assistance\20Operators@lab.test	Access Control Assistance Operators		Access Control Assistance Operators.space [db352d72-7748-460a-ab8d-d49cc73d7e45]
e220039b-39b0-4f4a-8f7e-f15b93be9703	Account\20Operators@lab.test	Account Operators		Account Operators.space [d885f857-665e-4dce-a5a1-70ee0f219f18]
3772974	Administrator@lab.test	Administrator	Administrator@lab.test	Administrator.space

Users				
ID	User Jid	Name	Email	coSpaces
7-9ea5-4d78-a71d-402ba938938a				[255336df-3efb-480e-b1b5-4c93bf26079a]
6f7856b9-9af3-44a6-b299-cb574e3435ae	Administrators@lab.test	Administrators		Administrators.space [42050c1f-d673-4718-9acf-2ec949fcbdf0]
42547022-1c5d-4c40-9c26-5164f0eb8d93	aberg@lab.test	Alec Berg	aberg2@lab.test	aberg.space [32887fe6-0894-4571-86a7-c9c1d22e9a6f]
a7feaa0f-bfb9-49b0-84b9-a9d1280634ad	Allowed\20RODC\20Password\20Replication\20Group@lab.test	Allowed RODC Password Replication Group		Allowed RODC Password Replication Group.space [b14cdc4c-b76f-4721-8b73-ca2bc76e445a]
51432a99-b49e-4506-a7ab-2bbc239b8c0c	ajolie@lab.test	Angelina Jolie	ajolie@lab.test	ajolie.space [8d126460-cf13-4385-9b9b-b0cb32b921d8]
e651f2df-d756-46ec-9d9b-eb4c273c9a5d	akutcher@lab.test	Ashton Kutcher	akutcher@lab.test	akutcher.space [7ab96b9e-bc25-4d55-b494-a475247ccaf1]
4671d7b7-bd3d-4250-b953-50ea6619d6d9	asterix@lab.test	Asterix TheGaulois	asterix@lab.test	asterix.space [8490b400-3519-450e-a2d7-4826a5241111]
b6cca02b-e4bd-47b0-a534-b28b40f202a2	Backup\20Operators@lab.test	Backup Operators		Backup Operators.space [d8c91e37-fdfa-40ad-a9e9-c5cf4d0b13cb]
2b290ad2-453f-480f-8507-30efc3f7c3af	bbreu@lab.test	Beat Breu	bbreu@lab.test	bbreu.space [044b1955-8f7f-4912-af7f-553fbd96b6cb]
f869875e-5daa-4971-96a8-2b0d996687bb	bpitt@lab.test	Brad Pitt	bpitt@lab.test	bpitt.space [54ef10ea-8654-4f4e-b776-20e3d9123707]
c1d9a678-07ee-4551-a7f8-e7837f72cbc8	bwayne@lab.test	Bruce Wayne		bwayne.space [d5f8ae90-3ed6-4dce-a24a-4fdd866b3e7c]
158f3071-258d-428b-	bwillis@lab.test	Bruce Willis	bwillis@lab.test	bwillis.space [45f9a5ec-320b-4bdb-8d80-59a3c94826c8]



Users				
ID	User Jid	Name	Email	coSpaces
ad89-ed5668b58c12				
19403993-2e95-498d-8c8b-2dd5e67db138	CSAdministrator@lab.test	CSAdministrator		CSAdministrator.space [1caacb7c-80d0-4aa3-9af3-0a01e8031636]
b05d8dd6-a782-49d7-98f6-4c15a7d709a8	CSArchivingAdministrator@lab.test	CSArchivingAdministrator		CSArchivingAdministrator.space [b28eb4e4-9354-42c0-a9a5-48332058b518]
5f9fb3cfe5cd-47f0-8b05-81f06ceaaa3	CSHelpDesk@lab.test	CSHelpDesk		CSHelpDesk.space [bedd2556-b06e-4b08-bbeb-bcd8528229a2]
ba4d7ce7-7362-4a77-bfe4-eb2cdbd5b4c5	CSLocationAdministrator@lab.test	CSLocationAdministrator		CSLocationAdministrator.space [dba44462-b942-4660-bb57-88a91ac0977c]
c1906517-92e0-423f-a323-aef287fb a39a	CSResponseGroupAdministrator@lab.test	CSResponseGroupAdministrator		CSResponseGroupAdministrator.space [5f4ada02-a822-4f71-9be7-c73abc299400]
959bc897-e9d2-4835-8065-7bbbd64ef7ab	CSResponseGroupManager@lab.test	CSResponseGroupManager		CSResponseGroupManager.space [aa8fbbe7-a71f-48a5-9936-4e4d3bdd4480]
89023406-7adc-423f-9946-2701b4ede33	CSServerAdministrator@lab.test	CSServerAdministrator		CSServerAdministrator.space [f8b83019-c9f1-4603-98de-70be2b1c67f9]
b5a5cd4e-6306-47ea-b00f-0f547e92edf3	CSUserAdministrator@lab.test	CSUserAdministrator		CSUserAdministrator.space [25c3c21c-1849-45cd-9ccc-61f40455df5e]
453da4d3-bc71-4280-8c25-1d1111899717	CSViewOnlyAdministrator@lab.test	CSViewOnlyAdministrator		CSViewOnlyAdministrator.space [d39daed9-d9c7-48ba-8ab5-dedcda0a0e5b]
939a28c5-a272-4466-a4a7-641f67e58516	CSVoiceAdministrator@lab.test	CSVoiceAdministrator		CSVoiceAdministrator.space [18e3eef3-9d26-4d77-9cae-84b55acc78fb]
21db7e4d-f364-47f7-9f26-7e17feaa	Cert20Publishers@lab.test	Cert Publishers		Cert Publishers.space [b94e8cdb-c4fa-4271-9a17-dcf34e3079b4]

Users				
ID	User Jid	Name	Email	coSpaces
3c11				
9a163bd9-a28c-4cbb-b6e8-5ef0fd74f1b6	Certificate\20Service\20DCOM\20Access@lab.test	Certificate Service DCOM Access		Certificate Service DCOM Access.space [4b518a69-98c0-48cb-82c2-6372c83ff686]
83bb816e-fd5b-4e8a-9046-e9fa205e44e8	cwelch@lab.test	Christopher E. Welch		cwelch.space [a7b8d8de-9a83-40f9-8a67-db9ba13911ab]
d5ad1af4-0d53-4583-9166-ef75a6790849	ceastwood@lab.test	Clint Eastwood	ceastwood@lab.test	ceastwood.space [c4873e8f-8a8f-436f-ba7c-0e8eeb787a44]
1ff861c6-a9ed-4038-baa0-d32a4fa84c78	Cloneable\20Domain\20Controllers@lab.test	Cloneable Domain Controllers		Cloneable Domain Controllers.space [cc759684-fc31-4f44-be26-13ba29d00fce]
f5a3c627-f7e6-40da-ad9b-a5fbc443344	Compliance\20Management@lab.test	Compliance Management		Compliance Management.space [086c1ec0-3c93-474b-945a-5294f0d0c596]
1db8c515-5181-4109-b7c2-c86cfc020e8b	FMGconsole1@lab.test	Console1 FMG	FMGconsole1@lab.test	FMGconsole1.space [e7de838d-0caf-4355-85b2-ba28e3a0fd84]
e304d0ad-af6e-44e4-91d0-fd108985ad6f	Cryptographic\20Operators@lab.test	Cryptographic Operators		Cryptographic Operators.space [fe9dd661-ba4b-4935-8ecf-463605c1c03b]
3281f2b3-6391-4ac7-868f-c81da1443ab6	CsPersistentChatAdministrator@lab.test	CsPersistentChatAdministrator		CsPersistentChatAdministrator.space [c77dc54b-d87a-44de-9840-fe229a61aa8d]
5a6abef2-88db-4769-8af1-023cb5343e3e	Delegated\20Setup@lab.test	Delegated Setup		Delegated Setup.space [dad78de1-9906-4e6b-a767-00ac78adb1bf]
8aa9fc2c-4124-4524-8283-0174ad9039a5	dmoore@lab.test	Demi Moore	dmoore@lab.test	dmoore.space [d8ce5f51-c7b3-437e-8ff8-06351842a1f9]
1527603b-e429-458c-97c7-7be992eae28e	Denied\20RODC\20Password\20Replication\20Group@lab.test	Denied RODC Password Replication Group		Denied RODC Password Replication Group.space [4225c382-dd8a-4b76-9446-0c2389ae9d33]

Users				
ID	User Jid	Name	Email	coSpaces
9a1bd7b4-1905-4da7-9444-b9607ca617ba	Discovery\20Management@lab.test	Discovery Management		Discovery Management.space [d1093cf5-f081-4c29-8af1-19eb752243ee]
89712eb7-20be-4666-bd84-bf6cd124f33c	SM_534705adf9a745e9a@lab.test	DiscoverySearchMailbox {D919BA05-46A6-415f-80AD-7E09334BB852}	DiscoverySearchMailbox{D919BA05-46A6-415f-80AD-7E09334BB852}@lab.test	SM_534705adf9a745e9a.space [5640d7e5-9d26-434b-bda3-95d7144d7684]
0e950523-1313-4baa-8efe-719fecff4600	Distributed\20COM\20Users@lab.test	Distributed COM Users		Distributed COM Users.space [1cead697-0cc2-4140-817c-3bc735d75e89]
2dc9728f-c7a1-4aee-ac06-c70bce141962	DnsAdmins@lab.test	DnsAdmins		DnsAdmins.space [849d45c1-c940-4cdd-bd84-4bc982bedded]
a4d6d3c3-a877-4de7-8b0a-bae98350b363	DnsUpdateProxy@lab.test	DnsUpdateProxy		DnsUpdateProxy.space [1940a0d3-d0ff-4160-a462-46d60e4f92ef]
08b05d14-a595-4bbd-acf8-cd9b7740898c	Domain\20Admins@lab.test	Domain Admins		Domain Admins.space [ce73e8d2-c884-42a1-9ea8-fcacb6b5a134]
080feb4d-130e-4971-b58a-a2e648f19ec9	Domain\20Computers@lab.test	Domain Computers		Domain Computers.space [8ba1259d-d471-4576-a7d8-08c85554585a]
84edb22e-7184-48cb-bb66-863dc42a1a00	Domain\20Controllers@lab.test	Domain Controllers		Domain Controllers.space [9b50997f-96ef-4c80-a7ac-603a1cadcf4b]
ccedab06-b963-4f56-ac0b-de0601ce0981	Domain\20Guests@lab.test	Domain Guests		Domain Guests.space [b86df1ff-f774-4d29-aef9-b9440dcdd9c1]
760e2b25-fa1d-436b-81cb-39b749c3156a	Domain\20Users@lab.test	Domain Users		Domain Users.space [c248f0b6-e1a2-4a8c-9ffa-5ad9bb5e53ad]
7921bc69-ac18-41da-a6e6-41fcd274df7b	specialchars@lab.test	Dávid Trüber	specialchars@lab.test	specialchars.space [35ce756c-d69a-4592-93f1-c2cca760baac]
95760efe-b24a-	eldee@lab.test	EI D. Ess		eldee.space [1a318d68-1e5b-4da4-b70d-

Users				
ID	User Jid	Name	Email	coSpaces
4a10-a845-cf1d9d9294ec				02d3467f1d14]
1a4a9adb-c9b9-4548-aafa-d37e63f62ac7	elled@lab.test	Elle Diess		elled.space [9afb6a29-d14a-408e-943d-6508b84cd2e7]
323e9679-4980-4dbf-8275-da044bb7a9d1	epage@lab.test	Ellen Page		epage.space [96910683-fa4a-4889-a8f0-75918d441d35]
2022fdd7-400e-47ba-a4c2-45114624cb39	emauto_Wed@lab.test	Emauto Wed	emauto_Wed@lab.test	emauto_Wed.space [01038509-8f46-4d91-ac6a-c8f467e594cf]
119fea19-5134-456d-b971-7b3d7938f2e3	Enterprise\20Admins@lab.test	Enterprise Admins		Enterprise Admins.space [97f342a0-a187-4056-ad81-181653e61f16]
6e0aa1a4-b08f-4670-bdae-54742477faaa	Enterprise\20Read-only\20Domain\20Controllers@lab.test	Enterprise Read-only Domain Controllers		Enterprise Read-only Domain Controllers.space [b8a92c81-4c24-4f09-86ed-15259809f0bd]
e90a7c42-4354-472e-811f-0b0d8f7d4def	ebachman@lab.test	Erlich Bachman		ebachman.space [1fdecfd2-95ae-4381-b8f5-77a5fc2e27f8]
edef1e7c-e44b-4ddf-a263-13d27887ca96	Event\20Log\20Readers@lab.test	Event Log Readers		Event Log Readers.space [03a295a3-7acf-483f-9e12-2b9cac2405ee]
a65fbfb7-03d7-44c2-b892-6c38d3fb30d6	\$731000-55PC635118F1@lab.test	Exchange Install Domain Servers		\$731000-55PC635118F1.space [eefd2eea-0065-479d-bb12-d9ad3f44b1e1]
60dd3766-23e0-4f84-94cd-0c99fbae61bb	\$031000-R0MRT8R7O01C@lab.test	Exchange Online-ApplicationAccount		\$031000-R0MRT8R7O01C.space [e4ae297f-0d09-4ef5-823e-79b394382020]
737ef8db-34d5-4025-b846-736dd5fc1c10	Exchange\20Servers@lab.test	Exchange Servers		Exchange Servers.space [8d0f5108-df18-404b-a3f2-02d8af5d90b4]
c52a29b1-abdf-42ce-bcb6-	Exchange\20Trusted\20Subsystem@lab.test	Exchange Trusted Subsystem		Exchange Trusted Subsystem.space [e4a8160d-fe33-477a-bedd-696b21386101]

Users				
ID	User Jid	Name	Email	coSpaces
47894e63b672				
1d31e890-3e2d-49b8-ab62-c64d48f98527	Exchange\20Windows\20Permissions@lab.test	Exchange Windows Permissions		Exchange Windows Permissions.space [16b2e494-9e92-4de7-a3b5-eb4b671f2446]
13005525-428e-4416-8d90-ac04c3be731a	ExchangeLegacyInterop@lab.test	ExchangeLegacyInterop		ExchangeLegacyInterop.space [e740d1e6-9c6f-4306-b200-ff6989da12c5]
ae3c551e-c01e-4025-a66c-fc304b16e20a	FMG10@lab.test	FMG10 Last10	fmg10@lab.test	FMG10.space [4e9271bb-7c08-4db2-9ac9-2b88b4c3dc2d]
b431c201-8bf3-4486-96c0-f9962be2bac9	fmg15@lab.test	FMG15		fmg15.space [852b7c07-6a02-4211-9857-e8ccd956babb]
b5c3b485-e0f9-4e9d-bb0c-ef00c4a8a582	fmg21@lab.test	FMG21 FMG		fmg21.space [c8820110-2a80-4ef6-a20e-3817ad6f4066]
fe2e5c7c-959b-408f-b35d-d0c6230f157b	FMG25@lab.test	FMG25 LAst	FMG_15@lab.test	FMG25.space [3aece445-95bf-4c69-8439-70911211652e]
e5ad0c61-c5d8-4667-b648-fe8e296b98cb	fmg4@lab.test	FMG4 Last5	FMG4@lab.test	fmg4.space [2b8df8af-31ec-45f2-85ed-702c78b32d6b]
6e3c127b-063c-4848-bcc5-28839647d1a2	FMG7@lab.test	FMG7 TEST	FMG7@lab.test	FMG7.space [d94228ed-2ee6-42e1-a4ca-1f61ba7b8926]
cbd3c66a-35b9-46b6-b8de-98955f578456	FMG8@lab.test	FMG8 Last8	FMG8@lab.test	FMG8.space [a80b6db6-922b-4522-8a02-a32eac9e5960]
3b2d2249-4f54-4392-b765-068bf36f5da4	FMG_SiteNotExists@lab.test	FMG_SiteNotExists Last	FMG_SiteNotExists@lab.test	FMG_SiteNotExists.space [5fb9880b-1402-428f-a412-b64f5c2c82ab]
9e4dba15-57e5-46ba-8bb0-6c6bddd4e910	FedServAcc\$@lab.test	FedServAcc		FedServAcc\$.space [300fa5bb-c493-4ab5-ae95-ae16528af5ce]

Users				
ID	User Jid	Name	Email	coSpaces
3e4b1f4a-e143-4c18-956d-44fe630df54c	SM_678eb25ccd9442468@lab.test	FederatedEmail.4c1f4d8b-8179-4148-93bf-00a95fa1e042	FederatedEmail.4c1f4d8b-8179-4148-93bf-00a95fa1e042@lab.test	SM_678eb25ccd9442468.space [a3bc015b-d9e5-4e42-b79f-ee6a940fdb91]
96b5fa23-8ab8-4a95-9693-ecc5f4251e6a	FMG_Last@lab.test	First Last	FMG_Last@lab.test	FMG_Last.space [51001bc1-833a-46eb-b81e-c0e4e1af2c9e]
caa9ea77-ef47-43ec-980f-b58d7ba0aef4	gclooney@lab.test	George Clooney	gclooney@lab.test	gclooney.space [5306fab-c13dd-419a-9467-2773bedbc708]
eca2f94f-a8a9-40f3-9c63-002b4b47684b	gdepardieu@lab.test	Gerard Depardieu	gdepardieu@lab.test	gdepardieu.space [33e8064e-3e38-4653-a532-3479f30ba245]
b36c2078-7584-433e-8a20-c4d238c2180d	Group\20Policy\20Creator\20Owners@lab.test	Group Policy Creator Owners		Group Policy Creator Owners.space [cf021958-d512-4087-95f9-01712f1f3241]
91ad7e5d-6959-4d3d-9005-cb1605c7429d	Guest@lab.test	Guest		Guest.space [3f6ecfc5-095b-4022-b99d-eb353968a6c4]
2cd61ccb-9ff2-4283-bf02-30b36ee8e8d02	Guests@lab.test	Guests		Guests.space [ab3cb3fb-861c-40f8-bc13-49150b947a5a]
6ffb539e-0659-4859-abec-50bee787158d	gpaltrow@lab.test	Gwyneth Paltrow	gpaltrow@lab.test	gpaltrow.space [163a882b-3b58-4bf4-a24f-101ad3c0095d]
d614475c-dadd-4ac3-822b-6bf5b9158553	harold@lab.test	Harold Xie	Harold@lab.test	harold.space [d34755a9-54cb-4ea0-8eac-36e109fd887d]
0d9ecd17-5b9f-462a-8b2b-14a18de4fce1	hford@lab.test	Harrison Ford	hford@lab.test	hford.space [75a43087-d6c5-460e-82a7-ee099638d10]
eaaa487e-34e7-4a07-b51e-da6894dad2c	SM_7e3c5b4d5e57469b8@lab.test	HealthMailbox1032aff002794789891a65263d00df2a	HealthMailbox1032aff002794789891a65263d00df2a@lab.test	SM_7e3c5b4d5e57469b8.space [414b82c6-b6be-4c9d-a0a8-b82ef818e6ca]
001499ca-f9d3-	SM_c5051545278b46b7a@lab.test	HealthMailboxb5aeb3d49e0e4d5584fd946ae77ab9f4	HealthMailboxb5aeb3d49e0e4d5584fd946ae77ab9f4@lab.test	SM_c5051545278b46b7a.space [3f01e4cf-df0c-

Users				
ID	User Jid	Name	Email	coSpaces
4f19-a1b9-17b26159fde6				426a-a3fb-98981256f558]
3dc60b75-b23e-40df-9a24-2b29509e1607	SM_d07bb3bebc74435d8@lab.test	HealthMailboxd234f323e74f4fd09e6d7c165450116b	HealthMailboxd234f323e74f4fd09e6d7c165450116b@lab.test	SM_d07bb3bebc74435d8.space [1159fcfa-dca0-4595-88cb-e6e5ed2b1bbb]
70d661ca-41ff-489a-be02-7483dc588c24	Help\20Desk@lab.test	Help Desk		Help Desk.space [69e582cd-f95e-4618-9a2d-8ee51ad14e5a]
6c19ac38-448a-44a5-9b4e-9353692bd8e8	Hygiene\20Management@lab.test	Hygiene Management		Hygiene Management.space [4ec7a52b-f9b1-468e-9f84-a2581c22daf3]
76cef357-5745-4165-97a3-4e586eb916df	Hyper-V\20Administrators@lab.test	Hyper-V Administrators		Hyper-V Administrators.space [654f8ee3-6bb2-4c2e-97ca-728e5a052e14]
ad0c9dec-d733-4d79-b412-cda0bfd80aa7	IIS_IUSRS@lab.test	IIS_IUSRS		IIS_IUSRS.space [73c9bdf5-78cd-4cea-8f4d-31464e76fb9f]
16378760-b9a2-40a6-aaa0-fbeda373eb07	Incoming\20Forest\20Trust\20Builders@lab.test	Incoming Forest Trust Builders		Incoming Forest Trust Builders.space [d8a11eb9-9125-429b-94e5-ad4b649db7be]
c76c1aec-18ae-4d8e-9847-4378ef77e4db	jlemmon@lab.test	Jack Lemmon	jlemmon@lab.test	jlemmon.space [1d099a59-e2e4-4997-9f58-98402121dd60]
3a2e7591-9294-4d2b-a943-a96999c3f0fd	jnicholson@lab.test	Jack Nicholson	jnicholson@lab.test	jnicholson.space [151cd832-3a25-48ff-9512-d3b5f214fe3c]
71b23254-3128-4adf-8655-b55f6edd4758	jacktheripper@lab.test	Jack TheRipper	jacktheripper@lab.test	jacktheripper.space [7b809372-97e5-4724-b442-3ad108b1fe07]
03cfa5affc4-4748-9a8a-495e6d38d492	jjones@lab.test	James Earl Jones		jjones.space [35718195-9a2c-4212-a6e8-46684e53ea9f]
9b2419aa-0198-4d8e-8a3f-	jdunn@lab.test	Jared Dunn	jdunn@lab.test	jdunn.space [a1181a84-e11e-488d-b756-ce16fa9fe328]

Users				
ID	User Jid	Name	Email	coSpaces
f46bd33e cce7				
10879a7 c-44d0- 4ba6- 8039- a287f419 3473	jseinfeld@lab.test	Jerry Seinfeld	jseinfeld@lab.test	jseinfeld.space [9c8388eb-622a-4b50- b244-d5ba77e8d94c]
6d47725 5-7a7f- 45e2- beb0- b8d760b 344d6	jcarrey@lab.test	Jim Carrey	jcarrey@lab.test	jcarrey.space [5a7cb14b- 4d45-41e3-9424- 533cdfd5cd1f]
737710b 7-53f1- 4fd9- a1fb- dab1db0f 0390	jmorrison@lab.test	Jim Morrison	jmorrison@lab.test	jmorrison.space [0cc24de0-5407-4814- 9408-a1db5cb0b54a]
4d1e0c1 8-6fc0- 42f2- b38e- 36201c1 06d37	jparsons@lab.test	Jim Parsons	jparsons@lab.test	jparsons.space [8755ddc1-83ab-45e9- aa76-30ca12a71d6b]
d2b56a2 9-1f9d- 47b8- b218- 0052d27 36a26	jhoward@lab.test	John Howard	jhoward@lab.test	jhoward.space [2403efab- 2cfd-4069-a12a- 260d35863e4c]
5088784 e-7b61- 4786- 8c20- d722375f 35ea	john.smith@lab.test	John Smith	john.smith@lab.test	john.smith.space [b4fa59cf-fa4f-4607-8b89- 9c290ba51892]
9d8ce01 b-0824- 46d3- 9821- f290dda3 c6be	jdelpotro@lab.test	Juan Martin Del Potro		jdelpotro.space [3c2069a0-cce1-4409- 95dd-6fc49c5367ca]
436d8ba 3-613a- 4d24- 84e3- c4916eb 33bd0	jroberts@lab.test	Julia Roberts	jroberts@lab.test	jroberts.space [355a40c4- 5e7a-4550-8670- d0f31810a666]
2ea8bcd 6-ec0f- 469d- beeb- b15fe523 0934	kwatanabe@lab.test	Ken Watanabe		kwatanabe.space [6fb2d443-a0cd-49c4- 954d-9fc025e709ca]
80fa6a70 -0ea2- 45f8- 81f7- ab512f0e 8c77	kcostner@lab.test	Kevin Costner	kcostner@lab.test	kcostner.space [1feafa0d- d383-4419-bedb- 78eb4a3b146e]
48efbdb5 -0b69- 4395- 9122- 010ea12 4e99e	kspacey@lab.test	Kevin Spacey		kspacey.space [ff981e2e- 17c0-4320-bbc8- bb3a94b12952]



Users				
ID	User Jid	Name	Email	coSpaces
4b9c9f2d-db14-4038-a3a2-09ff80c077a3	ldstest01@lab.test	LDS Test01		ldstest01.space [b3840531-d20e-43ed-8421-9b40d55ffe83]
db239b0e-4f5c-455f-9496-2a82fed942cd	LICTEST170\$@lab.test	LICTEST170		LICTEST170\$.space [02135dbc-2122-4304-b894-d66abc162dc9]
24b5d4d8-6036-4014-8bd6-3a3cd6476d48	LYNC2013\$@lab.test	LYNC2013		LYNC2013\$.space [9440f386-dad7-4d9b-9320-6e5c066baddf]
97eae22c-8ce5-4459-a345-8e9bde66c2c2	ldicaprio@lab.test	Leonardo DiCaprio	ldicaprio@lab.test	ldicaprio.space [9c30052c-fefe-4d2e-8ef7-5f7fa7e5ddd6]
c39172a5-72ca-4c88-8d33-9a7933b5c93e	mgibson@lab.test	Mel Gibson	mgibson@lab.test	mgibson.space [53abb2ee-186c-4304-9a1e-87a6d15aef14]
2715527e-db56-4d4b-8d4c-5aabef0b79a3	mkadmin@lab.test	Michael Admin	mkadmin@lab.test	mkadmin.space [2a3b647f-1e1b-4d4d-9efa-562faf558690]
d607c3c1-11d9-4fcd-b6a3-d4f358695e7b	mdouglas@lab.test	Michael Douglas	mdouglas@lab.test	mdouglas.space [1ec2015c-5501-41bf-8022-eeb040877c1f]
86e50979-9f3a-4e48-b501-616203725c62	mkunz@lab.test	Michael Kunz	mkunz@lab.test	mkunz.space [8b9c4f91-6d02-4c29-9af6-cd3946632c3f]
79edfd69-117f-421e-8c99-58552de3b005	SM_99822fcbf6104974b@lab.test	Migration.8f3e7716-2011-43e4-96b1-aba62d229136	Migration.8f3e7716-2011-43e4-96b1-aba62d229136@lab.test	SM_99822fcbf6104974b.space [490f9f48-6fc0-4c84-9d5d-1c548d91c3ab]
84688b0f-4fce-455f-93c4-fc83d42f2611	mfreeman@lab.test	Morgan Freeman	mfreeman@lab.test	mfreeman.space [eeb97eb8-bd5f-4f66-bcb9-458dfe47fdd7]
338d8c3c-c4b2-4e12-8f08-e83188c2e663	nbighetti@lab.test	Nelson Bighetti		nbighetti.space [0e2c5931-2896-49dc-acdb-6cde37ebc337]
fc6ab140-5f34-	Network\20Configuration\20Operators@lab.test	Network Configuration Operators		Network Configuration Operators.space

Users				
ID	User Jid	Name	Email	coSpaces
4bf9-9179-ea3505d6cc73				[16970011-f4c3-4af5-ab11-9e68f05c35bd]
647481be-90ff-4156-8715-6278804c1d1f	Organization\20Management@lab.test	Organization Management		Organization Management.space [980f02f2-81dd-4ca2-914a-cae004519d86]
e65ba381-d0c7-4caf-96d2-e2f86bb303fa	Performance\20Log\20Users@lab.test	Performance Log Users		Performance Log Users.space [c82e0719-e954-4bd6-8380-b42bac8b099f]
73e84d77-67ac-4594-94ea-87524bc214b1	Performance\20Monitor\20Users@lab.test	Performance Monitor Users		Performance Monitor Users.space [52bd38b3-f2e0-4665-a3ad-67da17446278]
fbef9b96-b7a3-40ba-bcb5-cda84b7ee085	pdinklage@lab.test	Peter Dinklage		pdinklage.space [e3b8cda4-2ab9-46d4-8fc0-c90a6f4f1b40]
5ac96ce2-c177-4094-9306-5cda58afd18f	Pre-Windows\202000\20Compatible\20Access@lab.test	Pre-Windows 2000 Compatible Access		Pre-Windows 2000 Compatible Access.space [50d0c590-d217-4688-b319-06f56c371c3f]
fcd46974-b5e1-4d7e-9351-4de9154bd4cb	Print\20Operators@lab.test	Print Operators		Print Operators.space [4d506bb7-085c-4b61-b7cf-f1ed5140dde5]
651f7804-9e1a-4bd8-842a-b01274da4c75	Protected\20Users@lab.test	Protected Users		Protected Users.space [b8ef855c-deef-47c5-a665-9ee8bee4302a]
ede78b06-defb-412f-b5b7-de9467517895	ps@lab.test	Provisioning System	ps@lab.test	ps.space [06c211de-a866-4dfb-8630-da729c7766df]
6417995b-2c10-46c0-a338-67349c76c013	Public\20Folder\20Management@lab.test	Public Folder Management		Public Folder Management.space [56ad47b6-6117-4cca-affb-ec97f5d69b6a]
8eb01b26-8c08-4a4d-8c33-d5c05ef0d7be	RAS\20and\20IAS\20Servers@lab.test	RAS and IAS Servers		RAS and IAS Servers.space [6f7ec4c5-01d9-4d89-82b4-befc33c19f6f]
990e55c0-5ff4-44d7-8961-	RDS\20Endpoint\20Servers@lab.test	RDS Endpoint Servers		RDS Endpoint Servers.space [edd2bf08-ed1c-4189-8136-32e500c8a031]

Users				
ID	User Jid	Name	Email	coSpaces
157d5b5fba71				
19c889c0-4a00-4cbf-a1e1-d2957537b9ff	RDS\20Management\20Servers@lab.test	RDS Management Servers		RDS Management Servers.space [d05883ec-7eaa-411b-a3ff-c2c76306a4a2]
9c755f3b-a87b-4c34-8030-863ef09a5600	RDS\20Remote\20Access\20Servers@lab.test	RDS Remote Access Servers		RDS Remote Access Servers.space [3a520057-4124-4f2a-8f9e-75d92fd4bd55]
bb9db52b-22f4-4c2b-b350-94409d117ba8	RTCComponentUniversalServices@lab.test	RTCComponentUniversalServices		RTCComponentUniversalServices.space [49645851-6e9e-46f3-a76d-dd0ec98b68f9]
5910ce47-ae10-4ecc-b275-928ca9a51da3	RTCHSUniversalServices@lab.test	RTCHSUniversalServices		RTCHSUniversalServices.space [aad6c500-3ba9-4613-ad05-2541425023da]
d207921f-21c3-446a-8d77-fa6077564d2f	RTCTProxyUniversalServices@lab.test	RTCTProxyUniversalServices		RTCTProxyUniversalServices.space [cffa1da6-5da1-4e60-b101-eb8fef5f290a]
1db9c7ba-9a58-412d-9c01-5a7d548eb28b	RTCSBAUniversalServices@lab.test	RTCSBAUniversalServices		RTCSBAUniversalServices.space [b4dcfb98-7cfa-4cc1-8abf-86ad205a62a8]
3b767cf8-b5a0-44a3-97fa-e28f43759302	RTCUniversalConfigReplicator@lab.test	RTCUniversalConfigReplicator		RTCUniversalConfigReplicator.space [629a0196-75c8-480e-9130-22bb7ff40fa4]
596d03a6-041d-4684-bda6-13c9069a8558	RTCUniversalGlobalReadOnlyGroup@lab.test	RTCUniversalGlobalReadOnlyGroup		RTCUniversalGlobalReadOnlyGroup.space [128db305-7656-4238-b62c-9116f0194c0b]
92eca544-e5e6-416b-b81f-71bdedc9de55	RTCUniversalGlobalWriteGroup@lab.test	RTCUniversalGlobalWriteGroup		RTCUniversalGlobalWriteGroup.space [eb419a14-9763-4402-a1f3-4aa043a9c214]
112f071a-d7df-43fd-b69e-e21c0b04ceb0	RTCUniversalReadOnlyAdmins@lab.test	RTCUniversalReadOnlyAdmins		RTCUniversalReadOnlyAdmins.space [c1ff986c-2946-46c7-9ef1-c01bf65b5d69]
ab43c28b-7986-4d19-9c21-51d3c7a5ae809	RTCUniversalSBATechnicians@lab.test	RTCUniversalSBATechnicians		RTCUniversalSBATechnicians.space [29a1979f-2ab0-4a1b-8e1f-b70944258b0f]

Users				
ID	User Jid	Name	Email	coSpaces
587f857f-141f-4952-8e37-3764198f3c07	RTCUniversalServerAdmins@lab.test	RTCUniversalServerAdmins		RTCUniversalServerAdmins.space [ed759543-1f5c-40eb-9a08-1199a2934c5e]
f0e5193c-dc9d-4b89-8b06-a65cf509eeb7	RTCUniversalServerReadOnlyGroup@lab.test	RTCUniversalServerReadOnlyGroup		RTCUniversalServerReadOnlyGroup.space [2e2ccc5e-a594-4450-a960-a7f4478c1bbe]
081ccd40-f25b-42ee-8e21-529a7a9c9b95	RTCUniversalUserAdmins@lab.test	RTCUniversalUserAdmins		RTCUniversalUserAdmins.space [ab8298eb-4318-46e1-ba65-856c8aee20b6]
3fa9707e-90f0-4f6c-908f-a177b5ddeb12	RTCUniversalUserReadOnlyGroup@lab.test	RTCUniversalUserReadOnlyGroup		RTCUniversalUserReadOnlyGroup.space [cee40c41-5418-4a27-a3a6-43481d899066]
751f83df-64a2-4336-9553-9ab851c381ea	rsnow@lab.test	Ramsay Snow		rsnow.space [ea43393d-244f-4408-84b3-51d26b1603ce]
b0186e98-d3cb-43ab-97a0-17f29865c2d1	Read-only\20Domain\20Controllers@lab.test	Read-only Domain Controllers		Read-only Domain Controllers.space [5ee579f2-2506-4ee6-970d-e4c142b0873a]
bc849008-e0d1-4012-ae35-91706135aaac	Recipient\20Management@lab.test	Recipient Management		Recipient Management.space [c8af4cdc-b848-4d12-87ae-0f41d5c3a0f8]
35a7532f-6307-4bd8-827c-60e983af42bf	Records\20Management@lab.test	Records Management		Records Management.space [2614182f-6ab9-4718-944d-5d37d6ef7834]
d62f83a8-bb7b-4bfd-98eb-c9e150504aef	Remote\20Desktop\20Users@lab.test	Remote Desktop Users		Remote Desktop Users.space [f712495b-a964-40ac-b87e-41efe14bf111]
24744e15-a244-465f-86d1-9bde927c7db2	Remote\20Management\20Users@lab.test	Remote Management Users		Remote Management Users.space [a612bf6b-81c5-4f54-be49-db1d2dc1d5ae]
d0231683-9537-407f-9121-0d75be0462a5	Replicator@lab.test	Replicator		Replicator.space [097e4c99-daa9-48e4-a20b-f1c83b96df48]
fd419e59-a255-	rdeniro@lab.test	Robert DeNiro	rdeniro@lab.test	rdeniro.space [47eb02e8-cf1d-49a2-922d-

Users				
ID	User Jid	Name	Email	coSpaces
4207-a93c-c534846257c4				2d416d7c5378]
adb4e9d6-5d84-4d29-940e-f237e2cc2100	rredford@lab.test	Robert Redford	rredford@lab.test	rredford.space [22961c13-ffe1-467e-935c-90f5863b6922]
888139fb-bdd0-418d-b701-fe32f60863e7	Schema20Admins@lab.test	Schema Admins		Schema Admins.space [1b9fcb21-ed14-4ee9-be0f-b95b0f4d7454]
f306fb79-955c-4b96-99d3-b0e6411504a6	sbean@lab.test	Sean Bean	sbean@lab.test	sbean.space [7578d1f2-a9e8-41d9-b42e-94d6580729b0]
bf731ab7-c7df-4aa4-ae59-f9e54b5ea04a	sconnery@lab.test	Sean Connery	sconnery@lab.test	sconnery.space [1fb383ae-8fb2-4e2a-bf60-30b9cf797b21]
4d62e039-bfd3-43d0-81fa-7fa25b3cacf0	spenn@lab.test	Sean Penn	spenn@lab.test	spenn.space [bf4ac74d-3e92-46e2-acab-9f343e215eae]
8c67cd64-3ec3-42ef-a59f-ddcdc40077bb	Server\20Management@lab.test	Server Management		Server Management.space [87f322fe-b35f-4829-bb1c-54e497bc02d6]
627cb022-5057-4faf-89ee-a5ba3608bd0b	Server\20Operators@lab.test	Server Operators		Server Operators.space [c6440043-27d8-4c8d-bbf6-c4abbf3c2ea6]
3ee73ddf-5895-41f2-be21-2bbd7db7608d	sturner@lab.test	Sophie Turner		sturner.space [77e9cdd7-7dea-47cd-8d7c-b9a5fd3527d7]
647cd2cb-865e-4858-a371-f08e994848ca	SM_8601872407804d4d9@lab.test	SystemMailbox{1f05a927-03a4-48b9-844e-0dadf8551667}	SystemMailbox{1f05a927-03a4-48b9-844e-0dadf8551667}@lab.test	SM_8601872407804d4d9.space [89fe3079-5c9b-42c6-9672-9dfc388a661c]
ef5f7a81-a20b-45f5-9bf1-dc0d65835a1e	SM_626e6ce451cb449f8@lab.test	SystemMailbox{bb558c35-97f1-4cb9-8ff7-d53741dc928c}	SystemMailbox{bb558c35-97f1-4cb9-8ff7-d53741dc928c}@lab.test	SM_626e6ce451cb449f8.space [c0a90f1d-d37a-4e29-9b70-24ac4daab1ce]
0884aab4-413c-42de-8b56-	SM_61218c24af784ac28@lab.test	SystemMailbox{e0dc1c29-89c3-4034-b678-e6c29d823ed9}	SystemMailbox{e0dc1c29-89c3-4034-b678-e6c29d823ed9}@lab.test	SM_61218c24af784ac28.space [6fc89810-e117-41cd-80b3-982c71b6fe95]

Users				
ID	User Jid	Name	Email	coSpaces
d727d1070918				
8252f311-ded6-4182-9ff2-b247e6ea9bc5	TNA175\$@lab.test	TNA175		TNA175\$.space [683eb35e-ad41-4efd-9f4a-009c43b8e382]
6ef17493-da00-4422-a347-6f172c08c0a5	Terminal\20Server\20License\20Servers@lab.test	Terminal Server License Servers		Terminal Server License Servers.space [12932cf3-e2aa-48c2-b27b-532ac0e7f524]
a7facb85-cdd6-49a0-a923-ca418b550dac	apstest1@lab.test	Test1 APS	apstest1@lab.test	apstest1.space [0ad3d0c7-b578-44a4-a54a-93afc1f4a6d0]
8593f8f7-953c-4b80-ac4e-4d4fb9f89800	test20aps@lab.test	Test20 APS	test20aps@lab.test	test20aps.space [1f819022-be61-4525-8431-6e8deb666c82]
a9a561bd-986f-47e3-bb9e-8706cefd9a5f	TestGroup1@lab.test	TestGroup1		TestGroup1.space [57916b4c-fb3e-4ea1-acca-1d660bad4289]
0dab4e68-c1c5-4055-8c56-f704cfb735d	TestGroup2@lab.test	TestGroup2		TestGroup2.space [94c3bcf3-5a21-4609-a843-0a5874ec8e87]
669be522-d7bf-4bc3-b362-55b8b6333a56	TestGroup3@lab.test	TestGroup3		TestGroup3.space [9b29a040-c62f-4df3-a76b-01e225560815]
fecfb210-47a1-449f-a631-55bedae590b2	TestGroup4-Nested@lab.test	TestGroup4-Nested		TestGroup4-Nested.space [03f7e08c-cb15-4dce-a5d3-84c1038b3fe5]
466bdcd7-a11a-41db-a34a-8a26139616cd	thanks@lab.test	Tom Hanks		thanks.space [1bc72eb5-3ad6-46ea-b846-7618bf9a1944]
297a25c3-bc91-47bf-867f-44fbd45782da	trominger@lab.test	Tony Rominger	trominger@lab.test	trominger.space [a7a208b3-580d-42bd-b583-bd1145fe6ca7]
0b09bd77-d4d8-474c-9226-6142ccf224c2	UM\20Management@lab.test	UM Management		UM Management.space [5ee21746-8ac5-4f9e-89b9-849cef734e27]

Users				
ID	User Jid	Name	Email	coSpaces
7e0a8d92-e8f2-4e3d-87d3-3d19c710030b	USP-HSBC\$@lab.test	USP-HSBC		USP-HSBC\$.space [b71f9b81-f42e-49b8-9bb8-1da14a1c7545]
cf460010-bcb0-4e7b-be61-236317f0dfaa	USPTEST169\$@lab.test	USPTEST169		USPTEST169\$.space [38cfd3f1-b58d-4f1e-8fd3-f6cef7e91010]
ee07d78e-15b6-4ebe-9af1-1edd42096aa1	User_template@lab.test	User Template		User_template.space [91605c35-d798-4e2a-82fc-b08f3ea54e3a]
71b20c9d-4e05-43df-8505-cecd41e52cfa	User_templateNoMob@lab.test	User TemplateNoMob		User_templateNoMob.space [de3ba5f8-d2df-4769-bfb5-88804c82d32b]
e3ff0e6a-58f8-4ef0-b25c-9092ebce5929	Users@lab.test	Users		Users.space [587557d6-f744-4335-8089-fe84e6d0c700]
bffef0f9-c7de-4ab7-8d9a-28979928a3c1	View-Only\20Organization\20Management@lab.test	View-Only Organization Management		View-Only Organization Management.space [238dc15d-1fda-4f5d-9ea6-b142c1439897]
11c92550-5eab-42e4-a266-34c82b2eb041	putin@lab.test	Vladimir Putin		putin.space [7a1ea6ba-8319-428f-a3aa-a604789b2606]
aec142b5-cf0e-4223-9e7a-f14b695bd2af	WIN-OU342G0VHOF\$@lab.test	WIN-OU342G0VHOF		WIN-OU342G0VHOF\$.space [ce added350-a57d-44c8-a624-3e437e023a]
ec0c726b-ce69-49a9-9b0b-90014839b7c5	WIN10-97\$@lab.test	WIN10-97		WIN10-97\$.space [3ad9454b-0387-4cb3-9c03-cc09fd5f416f]
bbb1a19c-293d-47da-9ac7-80053cada0a	WinRMRemoteWMIUsers__@lab.test	WinRMRemoteWMIUsers__		WinRMRemoteWMIUsers___.space [be9eee8d-5f36-45dd-8e6c-a81bbc84bfc2]
7336650e-3e10-43f7-8451-5eb1e92d9956	Windows\20Authorization\20Access\20Group@lab.test	Windows Authorization Access Group		Windows Authorization Access Group.space [27dd1624-f53d-4ff4-8263-2a5c5dd756a5]
8857afc4-ab3c-	adfssvc\$@lab.test	adfssvc		adfssvc\$.space [36a9a31b-ca97-4710-

Users				
ID	User Jid	Name	Email	coSpaces
4251-b193-9b34c69a0c95				9313-b12029c99b87]
b8de98d9-1d72-4689-8a8f-2a82be39a0f0	agent1@lab.test	agent1 UCCX		agent1.space [2f8fe373-7ee1-4158-8a3d-75f0d9e35283]
d14edf9f-9528-40ec-ae7e-7b1ee50839a3	agent2@lab.test	agent2 UCCX		agent2.space [25a49a9d-4976-49c3-95a0-f595905af17f]
fd7b41d5-bee6-4cd6-aa32-348dd01b0822	aps01@lab.test	aps 01	lcpl@lab.test	aps01.space [598d50e8-1f7f-4fee-b986-b4cbe92aebc4]
82a7b7d1-614d-4f7c-aa16-b952a9d0e010	aps02@lab.test	aps 02		aps02.space [dfd695df-a270-482f-8635-176458d85bdf]
d91b3fce-a601-458c-b265-56aebd5f33ff	aps03@lab.test	aps 03		aps03.space [9e27721a-1788-45f7-881e-ab2621dcf069]
05764f73-1aff-4daf-b0a8-7290d779ce8b	aps04@lab.test	aps 04	aps04@lab.test	aps04.space [07df2c9d-41c3-45d5-866d-87043e0a7d36]
bd0a93db-ddd1-48c4-b781-98f74d35b16f	aps05@lab.test	aps 05	aps05@lab.test	aps05.space [7fe38215-6061-4753-8e75-32d878da2236]
4fbf9e21-f066-4f4f-b3d8-adb8bc6025e4	crsadmin@lab.test	crsadmin UCCX		crsadmin.space [d85ed82c-dc9f-4123-b07a-4b0d571a9df2]
c98a3692-3b81-4e78-970d-cdf7d6ff1ab2	cttest01@lab.test	ct test01	cttest01@lab.test	cttest01.space [60ede6a7-b90d-4784-81ce-a70d52cbff4a]
df036db2-56de-48e1-bd42-ea62c5dc4973	cttest03@lab.test	ct test03	cttest03@lab.test	cttest03.space [a263adc4-d0f6-46b7-9055-abc97d6868a0]
4e974d24-e5f1-477c-8c49-	dotfirst@lab.test	dotfirst .		dotfirst.space [0bde4e74-f82f-4069-b375-3edc258b4d36]



Users				
ID	User Jid	Name	Email	coSpaces
8af818f853d6				
2f06b13a-97d1-49b8-a026-a5ccfd93067c	emauto_Friday1@lab.test	emauto Friday.	emauto_Friday1@lab.test	emauto_Friday1.space [d65ede7f-6d41-4d04-8cd8-b13098a4bef9]
2cf2dc75-221b-45a8-b264-8ed28fd04701	emauto_Monday1@lab.test	emauto Monday1	emauto_Monday1@lab.test	emauto_Monday1.space [9392606e-8c94-4006-b4b2-252109faf204]
d534eadb-4a22-41d0-9fde-d30c3c689e9b	emauto_Tuesday@lab.test	emauto Tuesday	emauto_Tuesday@lab.test	emauto_Tuesday.space [a2394b64-4785-45d5-8518-1c124d00b37e]
6578988b-e3ba-43e8-86c3-57e4b500dd00	emauto1@lab.test	emauto1 LAST	emauto1@lab.test	emauto1.space [aeb9920b-73d3-4856-a735-080f584cd96e]
6ff492f5-92ea-479d-a0ee-89912c7d030e	emauto10@lab.test	emauto10 LAST	emauto10@lab.test	emauto10.space [6692bedf-4c9a-4bed-8720-5c6348c9ca48]
fe1fe33c-7b95-4e45-8425-0d7d84fa2bfe	emauto11@lab.test	emauto11 LAST		emauto11.space [aacd4e11-06b2-492f-9926-b0048aba3f1c]
fdcf4706-95c7-4d86-aa21-1abccd04569c	emauto13@lab.test	emauto13 LAST	emauto13@lab.test	emauto13.space [3662a884-2577-4496-8f7f-b71ef66ca3f1]
1477b93c-45e6-48db-9f81-ad807bde5f57	emauto15@lab.test	emauto15 LAST		emauto15.space [28cd7f66-ab5f-4ae0-91d6-40b0143d5b85]
97d32ac0-4d49-4e70-8e4d-8819d507bcb2	emauto16@lab.test	emauto16 LAST		emauto16.space [b3edc3d8-3e81-4ebf-9ce0-716c47cf7b3b]
f3e54d46-0ef5-4712-b159-e04b5314ce6e	emauto2@lab.test	emauto2 LAST	emauto2@lab.test	emauto2.space [e753a4cf-64a9-460d-a005-db627bc71aba]
4c249462-2576-4e8a-a4a4-0f0e3114a89e	emauto4@lab.test	emauto4 LAST		emauto4.space [8bcb06a0-beff-4af4-bd17-9d9654ea3ec3]

Users				
ID	User Jid	Name	Email	coSpaces
642f2a1b-b8da-4c06-9795-726a8ee0e394	emauto5@lab.test	emauto5 LAST		emauto5.space [d7d382ea-bc84-439a-b741-14051b9abb22]
893c2ce6-9a75-423b-b853-05ddebffdc31	emauto8@lab.test	emauto8 LAST		emauto8.space [3f60ebc7-b8c2-4c95-8816-e349f077a9c9]
6bff60d-f345-401b-959c-2ff06fb942d4	fmg13@lab.test	fmg13 Last	fmg13@lab.test	fmg13.space [e25a255a-cfdc-458f-a5df-39a2bef6fa9f]
8db2e538-35ff-4ef8-99b5-4ee17677d254	fmg14@lab.test	fmg14 FMG	fmg14@lab.test	fmg14.space [f8028ba5-5c54-4069-9dc5-1aaa9ab5e3ad]
d760d3fb-1039-43c9-ab8f-d6077d7df9c2	fmg16@lab.test	fmg16 test	fmg16@lab.test	fmg16.space [9437372b-3ee3-4c24-aac8-46be444257ca]
ff95077f-1215-4179-8ff1-b34a349ccff7	fmg17@lab.test	fmg17		fmg17.space [f3d5da57-3b3f-4552-be61-e8dbe641a4a7]
8870f783-7a72-4846-a6d9-906bcecc50d7d	fmg20@lab.test	fmg20 FMG	fmg20@lab.test	fmg20.space [76014ad5-c48f-4c53-bc54-4e008c4ba0e6]
340811f4-0350-4681-a791-ad75ffa035eb	fmg5@lab.test	fmg5 Test	fmg5@lab.test	fmg5.space [c738d867-fa46-44f4-a234-0b290941ca9c]
71b8411f-d954-4450-9f3b-39462cfe79f2	fmg6@lab.test	fmg6 test	fmg6@lab.test	fmg6.space [2ceccf63-4168-4bb0-b111-a48fef6bdc3d]
7760817c-2da0-4d65-83b7-293501d5e6d3	fmg9@lab.test	fmg9 Last	fmg9@lab.test	fmg9.space [877c5ace-65ef-438e-aaa1-f5f53aa02085]
93a5f300-e2d1-4ec1-ac68-765223ad8a50	krbtgt@lab.test	krbtgt		krbtgt.space [de5c561f-c18c-4b25-aabd-44f497d34814]
470937d6-72aa-	lds01@lab.test	lds ohone	lds01@lab.test	lds01.space [28b2dab0-e37a-4098-9e71-

Users				
ID	User Jid	Name	Email	coSpaces
4044-a58e-2829c0d982f5				8681879ba1fb]
c97f5636-9ae6-4678-bb44-4eb0a69b0e64	ldstest02@lab.test	lds test02		ldstest02.space [6f642a73-bc6b-44d6-9b6b-c3f63b9e6100]
f6d25ca8-2336-489f-acc8-914109368088	ldstest03@lab.test	lds test03		ldstest03.space [0d106e06-39d8-49b6-87cc-427dd94ab70e]
764d76a5-8a42-414f-86a5-7f2ec9dff832	ldstest04@lab.test	lds test04		ldstest04.space [fc56f389-de43-4d3b-b0f6-1506ce22cb52]
574083d8-6c88-41f2-966a-fdb0a27053c2	ldstest06@lab.test	lds test06	ldstest06@lab.test	ldstest06.space [3c72c2bc-13c5-48b9-b1b6-861a083304c8]
caefd29a-faf9-46e1-b1d4-ea7bbf0b5479	ldstest07@lab.test	lds test07	ldstest07@lab.test	ldstest07.space [cfa4b78c-d83e-4735-a395-b84b961b1c4d]
8183341f-6c96-4d50-bffc-64f709fdcaae	ldstest08@lab.test	lds test08	ldstest08@lab.test	ldstest08.space [a9ed2811-644c-46eb-b060-f8d2f95b85fa]
0ebda89c-4636-48fc-b23a-6fa8bca71224	ldstest09@lab.test	lds test09	ldstest09@lab.test	ldstest09.space [356aad68-a7ef-4d75-97c4-c3a8efd43961]
90089e87-ae6a-4c27-99f7-d327e81849f5	ldstest10@lab.test	lds test10	ldstest10@lab.test	ldstest10.space [8cd2f22d-835f-49f9-9731-a645e9d7a2a8]
a9c9253b-da22-482e-a743-5e1407b398f9	ldstest11@lab.test	lds test11	ldstest11@lab.test	ldstest11.space [d81195eb-e67d-4b8c-9f0d-1a1c734c1dd2]
f6fb2eb8-369b-44d4-97b6-a51147b033a4	ldstest12@lab.test	lds test12	ldstest12@lab.test	ldstest12.space [cf8fb402-0c9c-4d01-92f6-3e53e1acfd32]
9a45abb4-3d68-4f16-a842-	ldstest13@lab.test	lds test13	ldstest13@lab.test	ldstest13.space [cc014925-4d74-4241-b065-7841857ada7c]

Users				
ID	User Jid	Name	Email	coSpaces
06be7bb b3a85				
dd5318d 5-78a4- 44ce- b0aa- 4dc610e 95e1a	ldstest14@lab.test	lds test14	ldstest14@lab.test	ldstest14.space [eec610ad-8f6b-4897- 966f-05894a085d1f]
10977c7 9-db21- 4793- b7e8- 93c1e59 9c033	mbuser1@lab.test	mbuser1 Test	mbuser1@lab.test	mbuser1.space [3249a7e9-baa1-499b- 84d0-86de924665c6]
f219458b -bda8- 4dff- 8fe1- 8c0c43ff e70d	mbuser18@lab.test	mbuser18 last	mbuser18@lab.test	mbuser18.space [d70a324f-1192-429a- 9642-d3880f11b21d]
a2fb1436 -19b3- 47b4- 912f- 6f7c121c a2be	mbuser19@lab.test	mbuser19 Last	mbuser19@lab.test	mbuser19.space [15542432-b0e2-424d- 9e97-ce7e727ab64c]
a5086d2 7-f286- 4986- b639- c320eef4 87a5	mbuser2@lab.test	mbuser2 Last	mbuser2@lab.test	mbuser2.space [abaefe52- b544-4930-b91f- ba15eb5a9ead]
e36ea41 d-4f62- 4e20- 8345- 3107bf86 744e	mbuser3@lab.test	mbuser3 TEST	mbuser3@lab.test	mbuser3.space [0655ae9f- 5a2c-4cb1-833c- fe2029f037c6]
e74f4f13 -7dea- 4bf9- a63a- 9f07cefa 7c83	mbuser4@lab.test	mbuser4 test	mbuser4@lab.test	mbuser4.space [d93f1b4b- 3973-4896-93b7- d8c6d8846afa]
df62be22 -7f26- 499f- b557- 1bac949 1cf3c	mbuser5@lab.test	mbuser5 test5	mbuser5@lab.test	mbuser5.space [cbbd1c3e-3695-448a- b1a7-169abc2f9952]
cb4c0ca a-114b- 43a0- 94d5- bc7b3e3 46b87	mbuser6\20test@lab.test	mbuser6 test	mbuser6test@lab.test	mbuser6 test.space [6fb32ef1-6a11-4d5e- 9863-ba1cf5e25351]
cc6eda8 c-83f9- 4824- 88c5- 4bc3ea8 79d0d	phoneadmin@lab.test	phoneadmin Admin	phoneadmin@lab.test	phoneadmin.space [2b79faf5-2c2d-42c0- b202-94583a5d78ad]
3bc26ac 5-4782- 4602- bc8b- 8c7b794 34833	rdstestuserA@lab.test	rdstest userA	rdstestuserA@lab.test	rdstestuserA.space [65872196-dfb3-4acd- b36c-8efe30fe711a]

Users				
ID	User Jid	Name	Email	coSpaces
4468ae7f-5818-45a8-b283-d742ef47d9a3	rdstestuserB@lab.test	rdstest userB	rdstestuserB@lab.test	rdstestuserB.space [33d50272-0646-46b7-88bc-c2e4459fcbac]
1fe93ec1-3074-4bdd-b72a-1547a2b42dc0	supervisor1@lab.test	supervisor1 UCCX		supervisor1.space [a5f28267-e32b-4c10-aaa3-759e1bd7637b]
af5fa0ee-1335-43cd-ba66-68b4c6eb7dd1	sydadmin@lab.test	sydadmin		sydadmin.space [589576f0-97a7-4c94-8a2d-8cdf6f18475]
69d2dd1c-9539-4397-9df1-9b690bc3f390	testem@lab.test	test em	testem@lab.test	testem.space [8a1b62ff-228d-4fa9-89b2-448ae20b7066]
8c7dbdf1-f635-4fd3-a521-d02dadbb2fccb	testuser01@lab.test	test user01	testuser01@lab.test	testuser01.space [2a4eb598-e031-4702-8959-45f5641a58a9]
8a56b933-d83e-4333-b654-b3c8df3da6f0	testuser02@lab.test	test user02	testuser02@lab.test	testuser02.space [b7ce9946-c51a-4097-b4d7-f5c54caa9c5f]
bb6e0a21-9862-49db-946b-fae474a99d6c	testuser03@lab.test	test user03	testuser03@lab.test	testuser03.space [1a38fd0d-0452-4137-b971-847888920864]
ea0ebae1-b9be-43d1-8b9f-2834dd101af3	testuser04@lab.test	test user04	testuser04@lab.test	testuser04.space [8e3354a1-7b9f-40e3-86fb-f137c2242664]
aa5a5244-913f-40f2-9ceb-12b86fc559fe	testuser05@lab.test	test user05	testuser05@lab.test	testuser05.space [1e653d2f-e0f2-470f-b4af-2f4910c267f9]
0cd008a1-c178-4dba-9603-578746f73762	testlast@lab.test	test, last		testlast.space [5c32daff-aed7-4678-8c07-2d012c39017b]
12699fd3-6b5f-4148-9a51-c8c4ff4f8755	test1em@lab.test	test1 em	test1em@lab.test	test1em.space [c2933389-f6ae-46e1-a075-14f115f38f5f]
bf84df30-57e2-	uptest01@lab.test	up uptest01	uptest01@lab.test	uptest01.space [41dafc3d-f23c-4d9d-b024-

Users				
ID	User Jid	Name	Email	coSpaces
4d0d-b875-b0c4c64b7609				bb7bcbbc5eb6]
c7c5b665-9d54-4782-a4cc-c8f4c18c7b71	uptest02@lab.test	up uptest02	uptest02@lab.test	uptest02.space [0dce4f45-c4be-4046-982c-2cc85e5cbf17]
d26011c0-dd8e-400a-a4c4-9e325bfd24f	specialchars2@lab.test	中文 test	specialchars2@lab.test	specialchars2.space [f4dabb05-d82d-4bf7-908d-61655d2e7c28]

## 7 Tenants and Tenant Groups

The Meeting Server supports multi-tenancy; this refers to sub-dividing its capacity into a set of islands where each island has all of the functionality of the unit as a whole, but has no access to the resources (for instance users, coSpaces, or active calls) of other tenants. This section contains:

- Tenants
- Tenant Groups

### 7.1 Tenants

The Meeting Server supports multi-tenancy; this refers to sub-dividing its capacity into a set of islands where each island has all of the functionality of the unit as a whole, but has no access to the resources (for instance users, spaces, or active calls) of other tenants.

The following tenants are configured:

Tenants		
ID	Details	
e135fe4a-f019-42b4-a114-9e06e763d328	Name	tenant1
	Dial In Security Profile	DSP-1 [3ff1ea9-4b4a-459f-bd2b-88aebb43248e]
	Web Bridge Profile	webBridgeProfiles2 [1032b8f4-91da-4b01-8ba4-f6f82d6255f5]
	Participant Limit	3

### 7.2 Tenant Groups

Multi-tenancy is supported where multiple deployments can be hosted on the same server. This feature is provided by assigning tenants to a tenant group. This provides a mechanism for splitting tenants into separate independent groups. Each group consists of one or more tenants.

- IVRs and web bridges can now be created for a group of tenants as well as for an individual tenant.
- Tenanted dial plans, to enable the outgoing dial plan to have rules set that are tenant specific. Outbound connections can have tenant specific 'Local From Domain' to allow call back to reach the correct tenant.
- Tenanted call IDs. Call IDs must be unique within a tenant group, but maybe reused for different tenant groups.
- XMPP multi-domains. XMPP multi-domains enables a single Cisco Meeting Server to host multiple XMPP domains.

Tenant Groups	
ID	Details
4a74a69e-51da-4ca6-bd8f-432f21fddd2d	
740aad23-ec96-4e55-8af5-9e0ffca27127	

## 8 Spaces

Spaces are meeting spaces that are created by users, the API or through CMS Admin. Once a Space is created, users can be invited to join the meeting in that Cisco Meeting Server space. In the API they are referred to as coSpaces.

The following Spaces are configured:

Spaces		
ID	Details	
e4ae297f-0d09-4ef5-823e-79b394382020	Name	\$031000-R0MRT8R7O01C.space
	Tenant	
	Auto Generated	true
	Call Id	000053646
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
eefd2eea-0065-479d-bb12-d9ad3f44b1e1	Name	\$731000-55PC635118FI.space
	Tenant	
	Auto Generated	true
	Call Id	285884886
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
cac08fa8-ee99-417f-88d7-4744688614c2	Name	1300.ORANGE.space
	Tenant	
	Auto Generated	true
	Call Id	826823029
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
595aa366-5ecb-48a9-90b7-2acd5a846183	Name	AD2013\$.space
	Tenant	
	Auto Generated	true
	Call Id	974667349
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
3f2c7457-df66-4969-a647-f21c3ead35a1	Name	ADFSGROUP.space
	Tenant	
	Auto Generated	true
	Call Id	652503385
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
db352d72-7748-460a-ab8d-d49cc73d7e45	Name	Access Control Assistance Operators.space
	Tenant	
	Auto Generated	true
	Call Id	518818914

Spaces		
ID	Details	
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
d885f857-665e-4dce-a5a1-70ee0f219f18	Name	Account Operators.space
	Tenant	
	Auto Generated	true
	Call Id	289917595
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
255336df-3efb-480e-b1b5-4c93bf26079a	Name	Administrator.space
	Tenant	
	Auto Generated	true
	Call Id	366954320
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
42050c1f-d673-4718-9acf-2ec949fcbdf0	Name	Administrators.space
	Tenant	
	Auto Generated	true
	Call Id	155010270
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
b14cdc4c-b76f-4721-8b73-ca2bc76e445a	Name	Allowed RODC Password Replication Group.space
	Tenant	
	Auto Generated	true
	Call Id	235240842
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
d8c91e37-fdfa-40ad-a9e9-c5cf4d0b13cb	Name	Backup Operators.space
	Tenant	
	Auto Generated	true
	Call Id	598811345
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
1caacb7c-80d0-4aa3-9af3-0a01e8031636	Name	CSAdministrator.space
	Tenant	
	Auto Generated	true
	Call Id	465755262
	Call Leg Profile	



Spaces		
ID	Details	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
b28eb4e4-9354-42c0-a9a5-48332058b518	Name	CSArchivingAdministrator.space
	Tenant	
	Auto Generated	true
	Call Id	759180156
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
bedd2556-b06e-4b08-bbeb-bcd8528229a2	Name	CSHelpDesk.space
	Tenant	
	Auto Generated	true
	Call Id	665127543
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
dba44462-b942-4660-bb57-88a91ac0977c	Name	CSLocationAdministrator.space
	Tenant	
	Auto Generated	true
	Call Id	158395970
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
5f4ada02-a822-4f71-9be7-c73abc299400	Name	CSResponseGroupAdministrator.space
	Tenant	
	Auto Generated	true
	Call Id	616283805
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
aa8fbb7-a71f-48a5-9936-4e4d3bdd4480	Name	CSResponseGroupManager.space
	Tenant	
	Auto Generated	true
	Call Id	559875715
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
f8b83019-c9f1-4603-98de-70be2b1c67f9	Name	CSServerAdministrator.space
	Tenant	
	Auto Generated	true
	Call Id	203353931
	Call Leg Profile	
	Call Branding Profile	

Spaces		
ID	Details	
	Call Profile	
	Dial In Security Profile	
25c3c21c-1849-45cd-9ccc-61f40455df5e	Name	CSUserAdministrator.space
	Tenant	
	Auto Generated	true
	Call Id	191262891
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
d39daed9-d9c7-48ba-8ab5-dedcda0a0e5b	Name	CSViewOnlyAdministrator.space
	Tenant	
	Auto Generated	true
	Call Id	171637624
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
18e3eef3-9d26-4d77-9cae-84b55acc78fb	Name	CSVoiceAdministrator.space
	Tenant	
	Auto Generated	true
	Call Id	295726052
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
b94e8cdb-c4fa-4271-9a17-dcf34e3079b4	Name	Cert Publishers.space
	Tenant	
	Auto Generated	true
	Call Id	608083463
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
4b518a69-98c0-48cb-82c2-6372c83ff686	Name	Certificate Service DCOM Access.space
	Tenant	
	Auto Generated	true
	Call Id	444304285
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
cc759684-fc31-4f44-be26-13ba29d00fce	Name	Cloneable Domain Controllers.space
	Tenant	
	Auto Generated	true
	Call Id	420962033
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	

Spaces		
ID	Details	
	Dial In Security Profile	
086c1ec0-3c93-474b-945a-5294f0d0c596	Name	Compliance Management.space
	Tenant	
	Auto Generated	true
	Call Id	894165973
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
fe9dd661-ba4b-4935-8ecf-463605c1c03b	Name	Cryptographic Operators.space
	Tenant	
	Auto Generated	true
	Call Id	513155152
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
c77dc54b-d87a-44de-9840-fe229a61aa8d	Name	CsPersistentChatAdministrator.space
	Tenant	
	Auto Generated	true
	Call Id	506781690
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
dad78de1-9906-4e6b-a767-00ac78adb1bf	Name	Delegated Setup.space
	Tenant	
	Auto Generated	true
	Call Id	960188251
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
4225c382-dd8a-4b76-9446-0c2389ae9d33	Name	Denied RODC Password Replication Group.space
	Tenant	
	Auto Generated	true
	Call Id	913343916
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
d1093cf5-f081-4c29-8af1-19eb752243ee	Name	Discovery Management.space
	Tenant	
	Auto Generated	true
	Call Id	621967413
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	

Spaces		
ID	Details	
1cead697-0cc2-4140-817c-3bc735d75e89	Name	Distributed COM Users.space
	Tenant	
	Auto Generated	true
	Call Id	082189297
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
849d45c1-c940-4cdd-bd84-4bc982bedded	Name	DnsAdmins.space
	Tenant	
	Auto Generated	true
	Call Id	023215659
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
1940a0d3-d0ff-4160-a462-46d60e4f92ef	Name	DnsUpdateProxy.space
	Tenant	
	Auto Generated	true
	Call Id	940513709
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
ce73e8d2-c884-42a1-9ea8-fcacb6b5a134	Name	Domain Admins.space
	Tenant	
	Auto Generated	true
	Call Id	450859168
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
8ba1259d-d471-4576-a7d8-08c85554585a	Name	Domain Computers.space
	Tenant	
	Auto Generated	true
	Call Id	198990212
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
9b50997f-96ef-4c80-a7ac-603a1cadcf4b	Name	Domain Controllers.space
	Tenant	
	Auto Generated	true
	Call Id	787672733
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
b86df1ff-f774-4d29-aef9-b9440dcdd9c1	Name	Domain Guests.space

Spaces		
ID	Details	
	Tenant	
	Auto Generated	true
	Call Id	004959044
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
c248f0b6-e1a2-4a8c-9ffa-5ad9bb5e53ad	Name	Domain Users.space
	Tenant	
	Auto Generated	true
	Call Id	051860660
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
97f342a0-a187-4056-ad81-181653e61f16	Name	Enterprise Admins.space
	Tenant	
	Auto Generated	true
	Call Id	829012453
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
b8a92c81-4c24-4f09-86ed-15259809f0bd	Name	Enterprise Read-only Domain Controllers.space
	Tenant	
	Auto Generated	true
	Call Id	749902214
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
03a295a3-7acf-483f-9e12-2b9cac2405ee	Name	Event Log Readers.space
	Tenant	
	Auto Generated	true
	Call Id	382999151
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
8d0f5108-df18-404b-a3f2-02d8af5d90b4	Name	Exchange Servers.space
	Tenant	
	Auto Generated	true
	Call Id	154346358
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
e4a8160d-fe33-477a-bedd-696b21386101	Name	Exchange Trusted Subsystem.space
	Tenant	

Spaces		
ID	Details	
	Auto Generated	true
	Call Id	504889779
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
16b2e494-9e92-4de7-a3b5-eb4b671f2446	Name	Exchange Windows Permissions.space
	Tenant	
	Auto Generated	true
	Call Id	091439728
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
e740d1e6-9c6f-4306-b200-ff6989da12c5	Name	ExchangeLegacyInterop.space
	Tenant	
	Auto Generated	true
	Call Id	734950395
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
4e9271bb-7c08-4db2-9ac9-2b88b4c3dc2d	Name	FMG10.space
	Tenant	
	Auto Generated	true
	Call Id	88+18474307003
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
3aece445-95bf-4c69-8439-70911211652e	Name	FMG25.space
	Tenant	
	Auto Generated	true
	Call Id	058517969
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
d94228ed-2ee6-42e1-a4ca-1f61ba7b8926	Name	FMG7.space
	Tenant	
	Auto Generated	true
	Call Id	881044565456
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
a80b6db6-922b-4522-8a02-a32eac9e5960	Name	FMG8.space
	Tenant	
	Auto Generated	true

Spaces		
ID	Details	
	Call Id	88+18474307001
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
51001bc1-833a-46eb-b81e-c0e4e1af2c9e	Name	FMG_Last.space
	Tenant	
	Auto Generated	true
	Call Id	236246399
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
5fb9880b-1402-428f-a412-b64f5c2c82ab	Name	FMG_SiteNotExists.space
	Tenant	
	Auto Generated	true
	Call Id	262146631
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
e7de838d-0caf-4355-85b2-ba28e3a0fd84	Name	FMGconsole1.space
	Tenant	
	Auto Generated	true
	Call Id	142681547
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
300fa5bb-c493-4ab5-ae95-ae16528af5ce	Name	FedServAcc\$.space
	Tenant	
	Auto Generated	true
	Call Id	020971369
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
cf021958-d512-4087-95f9-01712f1f3241	Name	Group Policy Creator Owners.space
	Tenant	
	Auto Generated	true
	Call Id	115525548
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
3f6ecfc5-095b-4022-b99d-eb353968a6c4	Name	Guest.space
	Tenant	
	Auto Generated	true
	Call Id	634930881

Spaces		
ID	Details	
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
ab3cb3fb-861c-40f8-bc13-49150b947a5a	Name	Guests.space
	Tenant	
	Auto Generated	true
	Call Id	687502861
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
69e582cd-f95e-4618-9a2d-8ee51ad14e5a	Name	Help Desk.space
	Tenant	
	Auto Generated	true
	Call Id	926748290
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
4ec7a52b-f9b1-468e-9f84-a2581c22daf3	Name	Hygiene Management.space
	Tenant	
	Auto Generated	true
	Call Id	090269019
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
654f8ee3-6bb2-4c2e-97ca-728e5a052e14	Name	Hyper-V Administrators.space
	Tenant	
	Auto Generated	true
	Call Id	295498072
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
73c9bdf5-78cd-4cea-8f4d-31464e76fb9f	Name	IIS_IUSRS.space
	Tenant	
	Auto Generated	true
	Call Id	891976437
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
d8a11eb9-9125-429b-94e5-ad4b649db7be	Name	Incoming Forest Trust Builders.space
	Tenant	
	Auto Generated	true
	Call Id	238448464
	Call Leg Profile	



Spaces		
ID	Details	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
02135dbc-2122-4304-b894-d66abc162dc9	Name	LICTEST170\$.space
	Tenant	
	Auto Generated	true
	Call Id	205761987
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
9440f386-dad7-4d9b-9320-6e5c066baddf	Name	LYNC2013\$.space
	Tenant	
	Auto Generated	true
	Call Id	275166846
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
16970011-f4c3-4af5-ab11-9e68f05c35bd	Name	Network Configuration Operators.space
	Tenant	
	Auto Generated	true
	Call Id	185263262
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
980f02f2-81dd-4ca2-914a-cae004519d86	Name	Organization Management.space
	Tenant	
	Auto Generated	true
	Call Id	880582344
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
c82e0719-e954-4bd6-8380-b42bac8b099f	Name	Performance Log Users.space
	Tenant	
	Auto Generated	true
	Call Id	093244016
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
52bd38b3-f2e0-4665-a3ad-67da17446278	Name	Performance Monitor Users.space
	Tenant	
	Auto Generated	true
	Call Id	114733259
	Call Leg Profile	
	Call Branding Profile	

Spaces		
ID	Details	
	Call Profile	
	Dial In Security Profile	
50d0c590-d217-4688-b319-06f56c371c3f	Name	Pre-Windows 2000 Compatible Access.space
	Tenant	
	Auto Generated	true
	Call Id	268777192
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
4d506bb7-085c-4b61-b7cf-f1ed5140dde5	Name	Print Operators.space
	Tenant	
	Auto Generated	true
	Call Id	503225708
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
b8ef855c-deef-47c5-a665-9ee8bee4302a	Name	Protected Users.space
	Tenant	
	Auto Generated	true
	Call Id	034092799
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
56ad47b6-6117-4cca-affb-ec97f5d69b6a	Name	Public Folder Management.space
	Tenant	
	Auto Generated	true
	Call Id	304564986
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
6f7ec4c5-01d9-4d89-82b4-befc33c19f6f	Name	RAS and IAS Servers.space
	Tenant	
	Auto Generated	true
	Call Id	849778940
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
edd2bf08-ed1c-4189-8136-32e500c8a031	Name	RDS Endpoint Servers.space
	Tenant	
	Auto Generated	true
	Call Id	085721448
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	

Spaces		
ID	Details	
	Dial In Security Profile	
d05883ec-7eaa-411b-a3ff-c2c76306a4a2	Name	RDS Management Servers.space
	Tenant	
	Auto Generated	true
	Call Id	515599476
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
3a520057-4124-4f2a-8f9e-75d92fd4bd55	Name	RDS Remote Access Servers.space
	Tenant	
	Auto Generated	true
	Call Id	260330264
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
49645851-6e9e-46f3-a76d-dd0ec98b68f9	Name	RTCComponentUniversalServices.space
	Tenant	
	Auto Generated	true
	Call Id	019688767
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
aad6c500-3ba9-4613-ad05-2541425023da	Name	RTCHSUniversalServices.space
	Tenant	
	Auto Generated	true
	Call Id	170834287
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
cffa1da6-5da1-4e60-b101-eb8fef5f290a	Name	RTCProxyUniversalServices.space
	Tenant	
	Auto Generated	true
	Call Id	699976142
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
b4dcbf98-7cfa-4cc1-8abf-86ad205a62a8	Name	RTCSBAUniversalServices.space
	Tenant	
	Auto Generated	true
	Call Id	129098874
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	

Spaces		
ID	Details	
629a0196-75c8-480e-9130-22bb7ff40fa4	Name	RTCUniversalConfigReplicator.space
	Tenant	
	Auto Generated	true
	Call Id	153147565
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
128db305-7656-4238-b62c-9116f0194c0b	Name	RTCUniversalGlobalReadOnlyGroup.space
	Tenant	
	Auto Generated	true
	Call Id	923820535
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
eb419a14-9763-4402-a1f3-4aa043a9c214	Name	RTCUniversalGlobalWriteGroup.space
	Tenant	
	Auto Generated	true
	Call Id	161170968
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
c1ff986c-2946-46c7-9ef1-c01bf65b5d69	Name	RTCUniversalReadOnlyAdmins.space
	Tenant	
	Auto Generated	true
	Call Id	299603360
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
29a1979f-2ab0-4a1b-8e1f-b70944258b0f	Name	RTCUniversalSBATechnicians.space
	Tenant	
	Auto Generated	true
	Call Id	092484447
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
ed759543-1f5c-40eb-9a08-1199a2934c5e	Name	RTCUniversalServerAdmins.space
	Tenant	
	Auto Generated	true
	Call Id	297304400
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
2e2ccc5e-a594-4450-a960-a7f4478c1bbe	Name	RTCUniversalServerReadOnlyGroup.space

Spaces		
ID	Details	
	Tenant	
	Auto Generated	true
	Call Id	422493839
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
ab8298eb-4318-46e1-ba65-856c8aee20b6	Name	RTCUniversalUserAdmins.space
	Tenant	
	Auto Generated	true
	Call Id	208547991
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
cee40c41-5418-4a27-a3a6-43481d899066	Name	RTCUniversalUserReadOnlyGroup.space
	Tenant	
	Auto Generated	true
	Call Id	946687138
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
5ee579f2-2506-4ee6-970d-e4c142b0873a	Name	Read-only Domain Controllers.space
	Tenant	
	Auto Generated	true
	Call Id	075346687
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
c8af4cdc-b848-4d12-87ae-0f41d5c3a0f8	Name	Recipient Management.space
	Tenant	
	Auto Generated	true
	Call Id	412641956
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
2614182f-6ab9-4718-944d-5d37d6ef7834	Name	Records Management.space
	Tenant	
	Auto Generated	true
	Call Id	926867864
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
f712495b-a964-40ac-b87e-41efe14bf111	Name	Remote Desktop Users.space
	Tenant	

Spaces		
ID	Details	
	Auto Generated	true
	Call Id	545180758
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
a612bf6b-81c5-4f54-be49-db1d2dc1d5ae	Name	Remote Management Users.space
	Tenant	
	Auto Generated	true
	Call Id	426690896
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
097e4c99-daa9-48e4-a20b-f1c83b96df48	Name	Replicator.space
	Tenant	
	Auto Generated	true
	Call Id	967644430
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
5640d7e5-9d26-434b-bda3-95d7144d7684	Name	SM_534705adf9a745e9a.space
	Tenant	
	Auto Generated	true
	Call Id	050743316
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
6fc89810-e117-41cd-80b3-982c71b6fe95	Name	SM_61218c24af784ac28.space
	Tenant	
	Auto Generated	true
	Call Id	528333891
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
c0a90f1d-d37a-4e29-9b70-24ac4daab1ce	Name	SM_626e6ce451cb449f8.space
	Tenant	
	Auto Generated	true
	Call Id	113441239
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
a3bc015b-d9e5-4e42-b79f-ee6a940fdb91	Name	SM_678eb25ccd9442468.space
	Tenant	
	Auto Generated	true

Spaces		
ID	Details	
	Call Id	800985216
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
414b82c6-b6be-4c9d-a0a8-b82ef818e6ca	Name	SM_7e3c5b4d5e57469b8.space
	Tenant	
	Auto Generated	true
	Call Id	422256635
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
89fe3079-5c9b-42c6-9672-9dfc388a661c	Name	SM_8601872407804d4d9.space
	Tenant	
	Auto Generated	true
	Call Id	260604837
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
490f9f48-6fc0-4c84-9d5d-1c548d91c3ab	Name	SM_99822fcfb6104974b.space
	Tenant	
	Auto Generated	true
	Call Id	868956488
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
3f01e4cf-df0c-426a-a3fb-98981256f558	Name	SM_c5051545278b46b7a.space
	Tenant	
	Auto Generated	true
	Call Id	822058612
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
1159fcfa-dca0-4595-88cb-e6e5ed2b1bbb	Name	SM_d07bb3bebc74435d8.space
	Tenant	
	Auto Generated	true
	Call Id	058019402
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
1b9fcb21-ed14-4ee9-be0f-b95b0f4d7454	Name	Schema Admins.space
	Tenant	
	Auto Generated	true
	Call Id	402356045

Spaces		
ID	Details	
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
87f322fe-b35f-4829-bb1c-54e497bc02d6	Name	Server Management.space
	Tenant	
	Auto Generated	true
	Call Id	567154570
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
c6440043-27d8-4c8d-bbf6-c4abbf3c2ea6	Name	Server Operators.space
	Tenant	
	Auto Generated	true
	Call Id	942278983
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
683eb35e-ad41-4efd-9f4a-009c43b8e382	Name	TNA175\$.space
	Tenant	
	Auto Generated	true
	Call Id	345340394
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
12932cf3-e2aa-48c2-b27b-532ac0e7f524	Name	Terminal Server License Servers.space
	Tenant	
	Auto Generated	true
	Call Id	950821266
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
57916b4c-fb3e-4ea1-acca-1d660bad4289	Name	TestGroup1.space
	Tenant	
	Auto Generated	true
	Call Id	718360028
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
94c3bcf3-5a21-4609-a843-0a5874ec8e87	Name	TestGroup2.space
	Tenant	
	Auto Generated	true
	Call Id	079101619
	Call Leg Profile	



Spaces		
ID	Details	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
9b29a040-c62f-4df3-a76b-01e225560815	Name	TestGroup3.space
	Tenant	
	Auto Generated	true
	Call Id	779049531
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
03f7e08c-cb15-4dce-a5d3-84c1038b3fe5	Name	TestGroup4-Nested.space
	Tenant	
	Auto Generated	true
	Call Id	988725727
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
5ee21746-8ac5-4f9e-89b9-849cef734e27	Name	UM Management.space
	Tenant	
	Auto Generated	true
	Call Id	565045530
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
b71f9b81-f42e-49b8-9bb8-1da14a1c7545	Name	USP-HSBC\$.space
	Tenant	
	Auto Generated	true
	Call Id	005673664
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
38cfd3f1-b58d-4f1e-8fd3-f6cef7e91010	Name	USPTEST169\$.space
	Tenant	
	Auto Generated	true
	Call Id	812414275
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
91605c35-d798-4e2a-82fc-b08f3ea54e3a	Name	User_template.space
	Tenant	
	Auto Generated	true
	Call Id	146780810
	Call Leg Profile	
	Call Branding Profile	

Spaces		
ID	Details	
	Call Profile	
	Dial In Security Profile	
de3ba5f8-d2df-4769-bfb5-88804c82d32b	Name	User_templateNoMob.space
	Tenant	
	Auto Generated	true
	Call Id	666017516
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
587557d6-f744-4335-8089-fe84e6d0c700	Name	Users.space
	Tenant	
	Auto Generated	true
	Call Id	920425988
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
238dc15d-1fda-4f5d-9ea6-b142c1439897	Name	View-Only Organization Management.space
	Tenant	
	Auto Generated	true
	Call Id	141294792
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
cecd350-a57d-44c8-a624-3ebe437e023a	Name	WIN-OU342G0VHOF\$.space
	Tenant	
	Auto Generated	true
	Call Id	926584840
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
3ad9454b-0387-4cb3-9c03-cc09fd5f416f	Name	WIN10-97\$.space
	Tenant	
	Auto Generated	true
	Call Id	184435852
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
be9eee8d-5f36-45dd-8e6c-a81bbc84bfc2	Name	WinRMRemoteWMIUsers__.space
	Tenant	
	Auto Generated	true
	Call Id	084733128
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	

Spaces		
ID	Details	
	Dial In Security Profile	
27dd1624-f53d-4ff4-8263-2a5c5dd756a5	Name	Windows Authorization Access Group.space
	Tenant	
	Auto Generated	true
	Call Id	449569948
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
32887fe6-0894-4571-86a7-c9c1d22e9a6f	Name	aberg.space
	Tenant	
	Auto Generated	true
	Call Id	88+61290025003
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
36a9a31b-ca97-4710-9313-b12029c99b87	Name	adfssvc\$.space
	Tenant	
	Auto Generated	true
	Call Id	287615607
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
2f8fe373-7ee1-4158-8a3d-75f0d9e35283	Name	agent1.space
	Tenant	
	Auto Generated	true
	Call Id	609138809
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
25a49a9d-4976-49c3-95a0-f595905af17f	Name	agent2.space
	Tenant	
	Auto Generated	true
	Call Id	460196892
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
8d126460-cf13-4385-9b9b-b0cb32b921d8	Name	ajolie.space
	Tenant	
	Auto Generated	true
	Call Id	88+610004015
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	

Spaces		
ID	Details	
7ab96b9e-bc25-4d55-b494-a475247ccaf1	Name	akutcher.space
	Tenant	
	Auto Generated	true
	Call Id	884001
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
598d50e8-1f7f-4fee-b986-b4cbe92aebc4	Name	aps01.space
	Tenant	
	Auto Generated	true
	Call Id	88+61290004176
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
dfd695df-a270-482f-8635-176458d85bdf	Name	aps02.space
	Tenant	
	Auto Generated	true
	Call Id	88+61290004017
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
9e27721a-1788-45f7-881e-ab2621dcf069	Name	aps03.space
	Tenant	
	Auto Generated	true
	Call Id	88+61290004018
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
07df2c9d-41c3-45d5-866d-87043e0a7d36	Name	aps04.space
	Tenant	
	Auto Generated	true
	Call Id	884004
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
7fe38215-6061-4753-8e75-32d878da2236	Name	aps05.space
	Tenant	
	Auto Generated	true
	Call Id	88+61290004021
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
9b67cd89-440b-46f0-a85c-3351b704df1f	Name	aps_user_template.space

Spaces		
ID	Details	
	Tenant	
	Auto Generated	true
	Call Id	879940963
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
0ad3d0c7-b578-44a4-a54a-93afc1f4a6d0	Name	apstest1.space
	Tenant	
	Auto Generated	true
	Call Id	753799819
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
8490b400-3519-450e-a2d7-4826a5241111	Name	asterix.space
	Tenant	
	Auto Generated	true
	Call Id	88+612900055555
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
044b1955-8f7f-4912-af7f-553fbd96b6cb	Name	bbreu.space
	Tenant	
	Auto Generated	true
	Call Id	88+61290005100
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
54ef10ea-8654-4f4e-b776-20e3d9123707	Name	bpitt.space
	Tenant	
	Auto Generated	true
	Call Id	88+61290004006
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
d5f8ae90-3ed6-4dce-a24a-4fdd866b3e7c	Name	bwayne.space
	Tenant	
	Auto Generated	true
	Call Id	420618602
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
45f9a5ec-320b-4bdb-8d80-59a3c94826c8	Name	bwillis.space
	Tenant	

Spaces		
ID	Details	
	Auto Generated	true
	Call Id	88+442070877600
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
c4873e8f-8a8f-436f-ba7c-0e8eeb787a44	Name	ceastwood.space
	Tenant	
	Auto Generated	true
	Call Id	88+61255780093
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
d78e72d8-9f8b-438e-a7d7-a574292d3e67	Name	coSpaces1
	Tenant	tenant1 [e135fe4a-f019-42b4-a114-9e06e763d328]
	Auto Generated	false
	Call Id	848936769
	Call Leg Profile	efcb6899-f57e-42f4-97b4-a9306510a78c
	Call Branding Profile	d328bdc8-0486-492a-9c33-9a3ac340857d
	Call Profile	0149a5a5-515b-434f-a863-d535c7755e4c
	Dial In Security Profile	DSP-2 [6d358e8c-938c-45cd-a248-fc4e4922a6a6]
ffb84ad6-6dda-4515-8f64-e326f34ef461	Name	coSpaces2
	Tenant	tenant1 [e135fe4a-f019-42b4-a114-9e06e763d328]
	Auto Generated	false
	Call Id	
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
d85ed82c-dc9f-4123-b07a-4b0d571a9df2	Name	crsadmin.space
	Tenant	
	Auto Generated	true
	Call Id	310654195
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
60ede6a7-b90d-4784-81ce-a70d52cbff4a	Name	cttest01.space
	Tenant	
	Auto Generated	true
	Call Id	8898777777
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
a263adc4-d0f6-46b7-9055-abc97d6868a0	Name	cttest03.space
	Tenant	
	Auto Generated	true

Spaces		
ID	Details	
	Call Id	355565781
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
a7b8d8de-9a83-40f9-8a67-db9ba13911ab	Name	cwelch.space
	Tenant	
	Auto Generated	true
	Call Id	88+61882915300
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
d8ce5f51-c7b3-437e-8ff8-06351842a1f9	Name	dmoore.space
	Tenant	
	Auto Generated	true
	Call Id	880340003005
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
0bde4e74-f82f-4069-b375-3edc258b4d36	Name	dotfirst.space
	Tenant	
	Auto Generated	true
	Call Id	782950628
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
1fdecfd2-95ae-4381-b8f5-77a5fc2e27f8	Name	ebachman.space
	Tenant	
	Auto Generated	true
	Call Id	88+61290005011
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
1a318d68-1e5b-4da4-b70d-02d3467f1d14	Name	eldee.space
	Tenant	
	Auto Generated	true
	Call Id	991292697
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
9afb6a29-d14a-408e-943d-6508b84cd2e7	Name	elled.space
	Tenant	
	Auto Generated	true
	Call Id	884018

Spaces		
ID	Details	
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
aeb9920b-73d3-4856-a735-080f584cd96e	Name	emauto1.space
	Tenant	
	Auto Generated	true
	Call Id	796585615
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
6692bedf-4c9a-4bed-8720-5c6348c9ca48	Name	emauto10.space
	Tenant	
	Auto Generated	true
	Call Id	88+61890008001
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
aacd4e11-06b2-492f-9926-b0048aba3f1c	Name	emauto11.space
	Tenant	
	Auto Generated	true
	Call Id	884700
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
3662a884-2577-4496-8f7f-b71ef66ca3f1	Name	emauto13.space
	Tenant	
	Auto Generated	true
	Call Id	885645855
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
28cd7f66-ab5f-4ae0-91d6-40b0143d5b85	Name	emauto15.space
	Tenant	
	Auto Generated	true
	Call Id	583028061
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
b3edc3d8-3e81-4ebf-9ce0-716c47cf7b3b	Name	emauto16.space
	Tenant	
	Auto Generated	true
	Call Id	933303961
	Call Leg Profile	



Spaces		
ID	Details	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
e753a4cf-64a9-460d-a005-db627bc71aba	Name	emauto2.space
	Tenant	
	Auto Generated	true
	Call Id	532121685
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
8bcb06a0-beff-4af4-bd17-9d9654ea3ec3	Name	emauto4.space
	Tenant	
	Auto Generated	true
	Call Id	88+61890005017
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
d7d382ea-bc84-439a-b741-14051b9abb22	Name	emauto5.space
	Tenant	
	Auto Generated	true
	Call Id	161620022
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
3f60ebc7-b8c2-4c95-8816-e349f077a9c9	Name	emauto8.space
	Tenant	
	Auto Generated	true
	Call Id	88+61890008241
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
d65ede7f-6d41-4d04-8cd8-b13098a4bef9	Name	emauto_Friday1.space
	Tenant	
	Auto Generated	true
	Call Id	888533
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
9392606e-8c94-4006-b4b2-252109faf204	Name	emauto_Monday1.space
	Tenant	
	Auto Generated	true
	Call Id	8838600
	Call Leg Profile	
	Call Branding Profile	

Spaces		
ID	Details	
	Call Profile	
	Dial In Security Profile	
a2394b64-4785-45d5-8518-1c124d00b37e	Name	emauto_Tuesday.space
	Tenant	
	Auto Generated	true
	Call Id	691107284
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
01038509-8f46-4d91-ac6a-c8f467e594cf	Name	emauto_Wed.space
	Tenant	
	Auto Generated	true
	Call Id	350428624
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
96910683-fa4a-4889-a8f0-75918d441d35	Name	epage.space
	Tenant	
	Auto Generated	true
	Call Id	88+6129004002
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
e25a255a-cfdc-458f-a5df-39a2bef6fa9f	Name	fmg13.space
	Tenant	
	Auto Generated	true
	Call Id	88+17707773602
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
f8028ba5-5c54-4069-9dc5-1aaa9ab5e3ad	Name	fmg14.space
	Tenant	
	Auto Generated	true
	Call Id	671173261
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
852b7c07-6a02-4211-9857-e8ccd956babb	Name	fmg15.space
	Tenant	
	Auto Generated	true
	Call Id	307221955
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	

Spaces		
ID	Details	
	Dial In Security Profile	
9437372b-3ee3-4c24-aac8-46be444257ca	Name	fmg16.space
	Tenant	
	Auto Generated	true
	Call Id	884402
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
f3d5da57-3b3f-4552-be61-e8dbe641a4a7	Name	fmg17.space
	Tenant	
	Auto Generated	true
	Call Id	584511735
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
76014ad5-c48f-4c53-bc54-4e008c4ba0e6	Name	fmg20.space
	Tenant	
	Auto Generated	true
	Call Id	498655773
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
c8820110-2a80-4ef6-a20e-3817ad6f4066	Name	fmg21.space
	Tenant	
	Auto Generated	true
	Call Id	090130863
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
2b8df8af-31ec-45f2-85ed-702c78b32d6b	Name	fmg4.space
	Tenant	
	Auto Generated	true
	Call Id	8881554405
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
c738d867-fa46-44f4-a234-0b290941ca9c	Name	fmg5.space
	Tenant	
	Auto Generated	true
	Call Id	88+1770773605
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	

Spaces		
ID	Details	
2ceccf63-4168-4bb0-b111-a48fef6bdc3d	Name	fmg6.space
	Tenant	
	Auto Generated	true
	Call Id	887004
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
877c5ace-65ef-438e-aaa1-f5f53aa02085	Name	fmg9.space
	Tenant	
	Auto Generated	true
	Call Id	887966
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
5306fabc-13dd-419a-9467-2773bedbc708	Name	gclooney.space
	Tenant	
	Auto Generated	true
	Call Id	8855000
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
33e8064e-3e38-4653-a532-3479f30ba245	Name	gdepardeu.space
	Tenant	
	Auto Generated	true
	Call Id	884014
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
163a882b-3b58-4bf4-a24f-101ad3c0095d	Name	gpaltrow.space
	Tenant	
	Auto Generated	true
	Call Id	884012
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
d34755a9-54cb-4ea0-8eac-36e109fd887d	Name	harold.space
	Tenant	
	Auto Generated	true
	Call Id	884005
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
75a43087-d6c5-460e-82a7-eec099638d10	Name	hford.space

Spaces		
ID	Details	
	Tenant	
	Auto Generated	true
	Call Id	744618001
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
7b809372-97e5-4724-b442-3ad108b1fe07	Name	jacktheripper.space
	Tenant	
	Auto Generated	true
	Call Id	366296835
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
5a7cb14b-4d45-41e3-9424-533cdfd5cd1f	Name	jcarrey.space
	Tenant	
	Auto Generated	true
	Call Id	632922129
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
3c2069a0-cce1-4409-95dd-6fc49c5367ca	Name	jdelpotro.space
	Tenant	
	Auto Generated	true
	Call Id	862696531
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
a1181a84-e11e-488d-b756-ce16fa9fe328	Name	jdunn.space
	Tenant	
	Auto Generated	true
	Call Id	377814433
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
2403efab-2cfd-4069-a12a-260d35863e4c	Name	jhoward.space
	Tenant	
	Auto Generated	true
	Call Id	883000
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
35718195-9a2c-4212-a6e8-46684e53ea9f	Name	jjones.space
	Tenant	

Spaces		
ID	Details	
	Auto Generated	true
	Call Id	8855006
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
1d099a59-e2e4-4997-9f58-98402121dd60	Name	jlemmon.space
	Tenant	
	Auto Generated	true
	Call Id	889100
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
0cc24de0-5407-4814-9408-a1db5cb0b54a	Name	jmorrison.space
	Tenant	
	Auto Generated	true
	Call Id	88+61890008100
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
151cd832-3a25-48ff-9512-d3b5f214fe3c	Name	jnicholson.space
	Tenant	
	Auto Generated	true
	Call Id	887766
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
b4fa59cf-fa4f-4607-8b89-9c290ba51892	Name	john.smith.space
	Tenant	
	Auto Generated	true
	Call Id	027681983
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
8755ddc1-83ab-45e9-aa76-30ca12a71d6b	Name	jparsons.space
	Tenant	
	Auto Generated	true
	Call Id	296183442
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
355a40c4-5e7a-4550-8670-d0f31810a666	Name	jroberts.space
	Tenant	
	Auto Generated	true

Spaces		
ID	Details	
	Call Id	88+61290025013
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
9c8388eb-622a-4b50-b244-d5ba77e8d94c	Name	jseinfeld.space
	Tenant	
	Auto Generated	true
	Call Id	88+61290025024
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
1feafa0d-d383-4419-bedb-78eb4a3b146e	Name	kcostner.space
	Tenant	
	Auto Generated	true
	Call Id	884566
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
de5c561f-c18c-4b25-aabd-44f497d34814	Name	krbtgt.space
	Tenant	
	Auto Generated	true
	Call Id	096124915
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
ff981e2e-17c0-4320-bbc8-bb3a94b12952	Name	kspacey.space
	Tenant	
	Auto Generated	true
	Call Id	459761520
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
6fb2d443-a0cd-49c4-954d-9fc025e709ca	Name	kwatanabe.space
	Tenant	
	Auto Generated	true
	Call Id	88+61290025066
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
9c30052c-fefe-4d2e-8ef7-5f7fa7e5ddd6	Name	ldicaprio.space
	Tenant	
	Auto Generated	true
	Call Id	628048666

Spaces		
ID	Details	
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
28b2dab0-e37a-4098-9e71-8681879ba1fb	Name	lds01.space
	Tenant	
	Auto Generated	true
	Call Id	901110833
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
b3840531-d20e-43ed-8421-9b40d55ffe83	Name	ldstest01.space
	Tenant	
	Auto Generated	true
	Call Id	234870756
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
6f642a73-bc6b-44d6-9b6b-c3f63b9e6100	Name	ldstest02.space
	Tenant	
	Auto Generated	true
	Call Id	809962766
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
0d106e06-39d8-49b6-87cc-427dd94ab70e	Name	ldstest03.space
	Tenant	
	Auto Generated	true
	Call Id	623323445
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
fc56f389-de43-4d3b-b0f6-1506ce22cb52	Name	ldstest04.space
	Tenant	
	Auto Generated	true
	Call Id	528951438
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
3c72c2bc-13c5-48b9-b1b6-861a083304c8	Name	ldstest06.space
	Tenant	
	Auto Generated	true
	Call Id	413194190
	Call Leg Profile	



Spaces		
ID	Details	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
cfa4b78c-d83e-4735-a395-b84b961b1c4d	Name	ldstest07.space
	Tenant	
	Auto Generated	true
	Call Id	367030362
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
a9ed2811-644c-46eb-b060-f8d2f95b85fa	Name	ldstest08.space
	Tenant	
	Auto Generated	true
	Call Id	616179064
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
356aad68-a7ef-4d75-97c4-c3a8efd43961	Name	ldstest09.space
	Tenant	
	Auto Generated	true
	Call Id	118069479
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
8cd2f22d-835f-49f9-9731-a645e9d7a2a8	Name	ldstest10.space
	Tenant	
	Auto Generated	true
	Call Id	898925628
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
d81195eb-e67d-4b8c-9f0d-1a1c734c1dd2	Name	ldstest11.space
	Tenant	
	Auto Generated	true
	Call Id	765037744
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
cf8fb402-0c9c-4d01-92f6-3e53e1acfd32	Name	ldstest12.space
	Tenant	
	Auto Generated	true
	Call Id	651162979
	Call Leg Profile	
	Call Branding Profile	

Spaces		
ID	Details	
	Call Profile	
	Dial In Security Profile	
cc014925-4d74-4241-b065-7841857ada7c	Name	ldstest13.space
	Tenant	
	Auto Generated	true
	Call Id	816796688
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
eec610ad-8f6b-4897-966f-05894a085d1f	Name	ldstest14.space
	Tenant	
	Auto Generated	true
	Call Id	151927520
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
3249a7e9-baa1-499b-84d0-86de924665c6	Name	mbuser1.space
	Tenant	
	Auto Generated	true
	Call Id	404310413
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
d70a324f-1192-429a-9642-d3880f11b21d	Name	mbuser18.space
	Tenant	
	Auto Generated	true
	Call Id	88+17707773610
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
15542432-b0e2-424d-9e97-ce7e727ab64c	Name	mbuser19.space
	Tenant	
	Auto Generated	true
	Call Id	887022
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
abaefe52-b544-4930-b91f-ba15eb5a9ead	Name	mbuser2.space
	Tenant	
	Auto Generated	true
	Call Id	276306982
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	

Spaces		
ID	Details	
	Dial In Security Profile	
0655ae9f-5a2c-4cb1-833c-fe2029f037c6	Name	mbuser3.space
	Tenant	
	Auto Generated	true
	Call Id	88+17707773615
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
d93f1b4b-3973-4896-93b7-d8c6d8846afa	Name	mbuser4.space
	Tenant	
	Auto Generated	true
	Call Id	071898315
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
cbbd1c3e-3695-448a-b1a7-169abc2f9952	Name	mbuser5.space
	Tenant	
	Auto Generated	true
	Call Id	88+17707773607
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
6fb32ef1-6a11-4d5e-9863-ba1cf5e25351	Name	mbuser6 test.space
	Tenant	
	Auto Generated	true
	Call Id	88+17707773608
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
1ec2015c-5501-41bf-8022-eeb040877c1f	Name	mdouglas.space
	Tenant	
	Auto Generated	true
	Call Id	099630171
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
eeb97eb8-bd5f-4f66-bcb9-458dfe47dd7	Name	mfreeman.space
	Tenant	
	Auto Generated	true
	Call Id	123550181
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	

Spaces		
ID	Details	
53abb2ee-186c-4304-9a1e-87a6d15aef14	Name	mgibson.space
	Tenant	
	Auto Generated	true
	Call Id	887089
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
2a3b647f-1e1b-4d4d-9efa-562faf558690	Name	mkadmin.space
	Tenant	
	Auto Generated	true
	Call Id	789096176
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
8b9c4f91-6d02-4c29-9af6-cd3946632c3f	Name	mkunz.space
	Tenant	
	Auto Generated	true
	Call Id	017527481
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
0e2c5931-2896-49dc-acdb-6cde37ebc337	Name	nbighetti.space
	Tenant	
	Auto Generated	true
	Call Id	508620076
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
e3b8cda4-2ab9-46d4-8fc0-c90a6f4f1b40	Name	pdinklage.space
	Tenant	
	Auto Generated	true
	Call Id	88+61386127601
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
2b79faf5-2c2d-42c0-b202-94583a5d78ad	Name	phoneadmin.space
	Tenant	
	Auto Generated	true
	Call Id	686965024
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
06c211de-a866-4dfb-8630-da729c7766df	Name	ps.space

Spaces		
ID	Details	
	Tenant	
	Auto Generated	true
	Call Id	291717594
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
7a1ea6ba-8319-428f-a3aa-a604789b2606	Name	putin.space
	Tenant	
	Auto Generated	true
	Call Id	467260670
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
47eb02e8-cf1d-49a2-922d-2d416d7c5378	Name	rdeniro.space
	Tenant	
	Auto Generated	true
	Call Id	799230696
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
65872196-dfb3-4acd-b36c-8efe30fe711a	Name	rdstestuserA.space
	Tenant	
	Auto Generated	true
	Call Id	223931403
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
33d50272-0646-46b7-88bc-c2e4459fcbae	Name	rdstestuserB.space
	Tenant	
	Auto Generated	true
	Call Id	658410969
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
22961c13-ffe1-467e-935c-90f5863b6922	Name	rredford.space
	Tenant	
	Auto Generated	true
	Call Id	163771756
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
ea43393d-244f-4408-84b3-51d26b1603ce	Name	rsnow.space
	Tenant	

Spaces		
ID	Details	
	Auto Generated	true
	Call Id	88+61290005017
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
7578d1f2-a9e8-41d9-b42e-94d6580729b0	Name	sbean.space
	Tenant	
	Auto Generated	true
	Call Id	625974257
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
1fb383ae-8fb2-4e2a-bf60-30b9cf797b21	Name	sconnery.space
	Tenant	
	Auto Generated	true
	Call Id	257925639
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
35ce756c-d69a-4592-93f1-c2cca760baac	Name	specialchars.space
	Tenant	
	Auto Generated	true
	Call Id	884011
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
f4dabb05-d82d-4bf7-908d-61655d2e7c28	Name	specialchars2.space
	Tenant	
	Auto Generated	true
	Call Id	818704452
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
bf4ac74d-3e92-46e2-acab-9f343e215eae	Name	spenn.space
	Tenant	
	Auto Generated	true
	Call Id	884200
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
77e9cdd7-7dea-47cd-8d7c-b9a5fd3527d7	Name	sturner.space
	Tenant	
	Auto Generated	true

Spaces		
ID	Details	
	Call Id	88+61790003000
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
a5f28267-e32b-4c10-aaa3-759e1bd7637b	Name	supervisor1.space
	Tenant	
	Auto Generated	true
	Call Id	605810772
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
589576f0-97a7-4c94-8a2d-8cdf6f18475	Name	sydadmin.space
	Tenant	
	Auto Generated	true
	Call Id	924736676
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
c2933389-f6ae-46e1-a075-14f115f38f5f	Name	test1em.space
	Tenant	
	Auto Generated	true
	Call Id	926517584
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
1f819022-be61-4525-8431-6e8deb666c82	Name	test20aps.space
	Tenant	
	Auto Generated	true
	Call Id	841314082
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
8a1b62ff-228d-4fa9-89b2-448ae20b7066	Name	testem.space
	Tenant	
	Auto Generated	true
	Call Id	712794821
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
5c32daff-aed7-4678-8c07-2d012c39017b	Name	testlast.space
	Tenant	
	Auto Generated	true
	Call Id	88+61290005018

Spaces		
ID	Details	
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
2a4eb598-e031-4702-8959-45f5641a58a9	Name	testuser01.space
	Tenant	
	Auto Generated	true
	Call Id	8855590387
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
b7ce9946-c51a-4097-b4d7-f5c54caa9c5f	Name	testuser02.space
	Tenant	
	Auto Generated	true
	Call Id	8865577783
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
1a38fd0d-0452-4137-b971-847888920864	Name	testuser03.space
	Tenant	
	Auto Generated	true
	Call Id	8855593872
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
8e3354a1-7b9f-40e3-86fb-f137c2242664	Name	testuser04.space
	Tenant	
	Auto Generated	true
	Call Id	88777877787
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
1e653d2f-e0f2-470f-b4af-2f4910c267f9	Name	testuser05.space
	Tenant	
	Auto Generated	true
	Call Id	8876767676
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
1bc72eb5-3ad6-46ea-b846-7618bf9a1944	Name	thanks.space
	Tenant	
	Auto Generated	true
	Call Id	874795956
	Call Leg Profile	



Spaces		
ID	Details	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
a7a208b3-580d-42bd-b583-bd1145fe6ca7	Name	trominger.space
	Tenant	
	Auto Generated	true
	Call Id	633415098
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
41dafc3d-f23c-4d9d-b024-bb7bcbbc5eb6	Name	uptest01.space
	Tenant	
	Auto Generated	true
	Call Id	8840404590
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	
0dce4f45-c4be-4046-982c-2cc85e5cbf17	Name	uptest02.space
	Tenant	
	Auto Generated	true
	Call Id	8880803002
	Call Leg Profile	
	Call Branding Profile	
	Call Profile	
	Dial In Security Profile	

## 9 Calls

The Calls section contains the following configuration items:

- Call Bridges
- Call Bridges Groups
- Call Settings
- Chapter Incoming Calls
- Chapter Outgoing Calls
- IVRs

### 9.1 Call Bridges

The Call Bridge is the component on the Meeting Server that bridges the conference connections, enabling multiple participants to join meetings hosted on the Meeting Server or Lync AVMCUs. The Call Bridge exchanges audio and video streams so that participants can see and hear each other. The Call Bridge license allows the Call Bridge to be used for media calls.

The following Call Bridges are configured:

Call Bridges		
ID	Details	
da4004d7-9a3c-497d-8169-68d758ee41c8	Name	callBridges1
	Address	10.5.1.1
	Sip Domain	lab.test

Call Bridges			
ID	Details		
	<table border="1"> <tr> <td>Call Bridge Group</td> <td>callBridgeGroups [f1a5244a-d055-4d21-b190-c7cf8561ae19]</td> </tr> </table>	Call Bridge Group	callBridgeGroups [f1a5244a-d055-4d21-b190-c7cf8561ae19]
Call Bridge Group	callBridgeGroups [f1a5244a-d055-4d21-b190-c7cf8561ae19]		

## 9.2 Call Bridges Group

Deployments with Cisco Unified Communications Manager and clustered Meeting Servers can use the Call Bridge Grouping feature to load balance calls on the Meeting Servers. Load balancing aims to avoid overloading individual Meeting Servers in the cluster. Using Call Bridge groups, a Meeting Server cluster can intelligently load balance calls across the Call Bridges within the same location or across nodes in different locations. The intelligent decision making behind where calls end up is handled by the Meeting Servers.

The call control system needs to be able to handle SIP messages from the Meeting Servers, in order to move calls to the correct location. This functionality has been tested using Cisco Unified Communications Manager as a call control system, which is the only Cisco supported call control system for this functionality.

The following Call Bridge Groups are configured:

Call Bridge Groups		
ID	Details	
c5e26c0c-cae2-4145-8e11-c0558b7cb0ab	Name	callBridgeGroups2
	Load Balancing Enabled	false
	Load Balance Lync Calls	true
	Load Balance Outgoing Calls	false
	Load Balance User Calls	true
	Load Balance Indirect Calls	false
f1a5244a-d055-4d21-b190-c7cf8561ae19	Name	callBridgeGroups
	Load Balancing Enabled	true
	Load Balance Lync Calls	true
	Load Balance Outgoing Calls	false
	Load Balance User Calls	true
	Load Balance Indirect Calls	false

## 9.3 Call Settings

Use the Configuration > Call settings page to:

- Allow media encryption for SIP calls (including Lync).
- Specify whether participant label overlays are shown on SIP calls.
- Specify the preferred size (in milliseconds) for outgoing audio packets; 10ms, 20ms, or 40ms.
- Enable TIP support. (You need to enable TIP support if you use endpoints such as the Cisco CTS range.)
- Allow presentation video channel operations: if this is set to prohibited then no content channel video or BFCP capability will be advertised to the far end.
- BFCP mode for presentation video: if presentation video channel operations are allowed for SIP calls, this setting determines the Call Bridge's BFCP behavior, one of:
  - Server role only: this is the normal option for a conferencing device and is intended for use with BFCP client mode devices (for instance, SIP endpoints). Or
  - Server and client role: this option allows the Call Bridge to operate in either BFCP client or BFCP server mode in calls with remote devices.

This setting allows improved presentation video sharing with a remote conference hosting device.

- Set the value for the Resource-Priority header field in outgoing SIP calls. This setting tells the Meeting Server how much priority you will allow the bandwidth to allocate for presenting. This depends on the bandwidth capability of the network environment and other factors such as if there are any immersive systems that push HD, for example.
- Enable and disable UDP signaling for SIP. Set to one of:
  - disabled|enabled: disable if you use SIP over TCP, or require that all of your network traffic is encrypted.
  - enabled, single address mode corresponds to the SIP over UDP behavior.

- enabled, multi address if the Call Bridge is configured to listen on more than one interface.
- Enable Lync presence support. This setting determines whether or not this Call Bridge should supply information on destination URIs it serves to Lync presence subscribers.
- Leave the Lync packet pacing mode set to default.

The Call settings page also allows you to change the bandwidth settings for SIP, Cisco Meeting Server (CMA), Server reflexive, Relay, VPN, and Lync content. The settings are measured in bits per second, for example, 2000000 is 2Mbps. We dedicate at least 64kbps for audio, and recommend 2Mbps for a 720p30 call, or around 3.5Mbps for a 1080p30 call. More bandwidth would be required for 60fps.

You may need to change some of the bandwidth settings if you allow SIP media encryption, or enable TIP support, for example. In the case of 3 screen TIP calls, the bandwidth numbers seen on the Call settings page get automatically tripled, so you do not need to manually set them to 6Mbps for example. However, we would normally recommend (3x) 4Mbps for most CTS calls.

Call Configuration	
<b>Call settings</b>	
SIP media encryption	forbidden
Participant labels	disabled
Audio packet size preferred	20
<b>SIP settings</b>	
TIP (Telepresence Interoperability Protocol) calls	disabled
Presentation video channel operations	allowed
BFCP mode for presentation video	serverOnly
Resource priority	
UDP signaling for SIP	singleAddress
Lync presence support	enabled
Lync packet pacing mode	default
<b>Bandwidth settings (SIP)</b>	
Rx bandwidth	2000000
Tx bandwidth	2000000
<b>Bandwidth settings (web app)</b>	
Rx bandwidth	2000000
Tx bandwidth	2000000
<b>Bandwidth settings (Server reflexive)</b>	
Rx bandwidth	2000000
Tx bandwidth	2000000
<b>Bandwidth settings (Relay)</b>	
Rx bandwidth	1000000
Tx bandwidth	1000000
<b>Bandwidth settings (VPN)</b>	
Rx bandwidth	2000000
Tx bandwidth	2000000
<b>Bandwidth settings (Lync content)</b>	
LAN bandwidth limit	8000000
WAN bandwidth limit	2000000

## 9.4 Incoming Calls

When an incoming SIP call is routed to the Meeting Server, the Call Bridge first looks through the configured Inbound Dial Plan rules and then at the Call Forwarding rules.

This Incoming Calls chapter contains:

- Incoming Dial Plan rules to configure matching/rejection.
- Call Forwarding rules to configure forwarding behavior.

### 9.4.1 Incoming Dial Plan Rules

When an incoming SIP call is routed to the Meeting Server, the Call Bridge looks through the configured Inbound Dial Plan rules first and tries to match the "domain" part of the destination URI "<user>@<domain>" against those rules.

The following Incoming Dial Plan rules are configured:

Incoming Dialplan Rules		
ID	Details	
bb7e2e37-5755-49bf-be2b-2eb0d971a6fb	Domain	lab.test
	Priority	3
	Tenant	tenant1 [e135fe4a-f019-42b4-a114-9e06e763d328]
	Resolve Toco Spaces	true
	Resolve To Ivrs	true
	Resolve To Lync Conferences	false
	Resolve To Lync Simplejoin	false
ff92f624-3b78-476e-a009-cf075e18bdd8	Domain	lab2.test
	Priority	2
	Tenant	
	Resolve Toco Spaces	true
	Resolve To Ivrs	true
	Resolve To Lync Conferences	false
	Resolve To Lync Simplejoin	false

### 9.4.2 Call Forwarding

If the domain part of the destination URI of an incoming SIP call fails to match any of the Incoming Dial Plan rules, the call will be handled according to the rules in the Call Forwarding Dial Plan rules. The rules decide whether to reject the call outright or to forward the call in bridge mode.

The following Call Forwarding rules are configured:

Incoming Dial Transforms		
ID	Details	
ebc50191-335b-4b65-acf9-0ad4e9f88d70	Match Pattern	12345
	Priority	4
	Tenant	
	Action	forward
	Caller Id Mode	regenerate
	Uri Parameters	discard
1df341c8-a387-4a73-b40f-e7c775d8c3de	Match Pattern	777777
	Priority	0
	Tenant	tenant1 [e135fe4a-f019-42b4-a114-9e06e763d328]
	Action	reject
	Caller Id Mode	regenerate
	Uri Parameters	discard

### 9.5 Outbound Calls

When an outgoing SIP call is routed out of the Meeting Server, the Call Bridge looks first through the configured outbound dial plan rules and then at the dial transforms.

This Outbound Calls chapter contains:

- Outbound Dial Plan Rules
- Dial Transforms

### 9.5.1 Outbound Dial Plan Rules

The configuration of which trunks or proxies to use for outbound calls is based on the domain of the (SIP) destination being called, which is specified in the outgoing dial plan.

All rules added via the Web Admin Interface are global and applied to every Call Bridge in the cluster. You must use the API to specify the call routing for outbound SIP/Lync calls using a specific Call Bridge or Call Bridge group.

The following Outbound Dial Plan Rules are configured:

Outbound Dialplan Rules		
ID	Details	
63cc21e1-f071-4654-9f14-48c119b78f64	Domain	lab2.test
	Priority	3
	Tenant	
	Local Contact Domain	
	Local From Domain	
	Trunk Type	sip
	Sip Control Encryption	auto
	Sip Proxy	
	Failure Action	stop
	Scope	global
	Call Bridge	
	Call Bridge Group	
	Call Routing	default
cf02a356-c613-4762-8f06-6bdac1364693	Domain	lab3.test
	Priority	0
	Tenant	tenant1 [e135fe4a-f019-42b4-a114-9e06e763d328]
	Local Contact Domain	
	Local From Domain	lab.test
	Trunk Type	sip
	Sip Control Encryption	auto
	Sip Proxy	
	Failure Action	stop
	Scope	global
	Call Bridge	callBridges1 [da4004d7-9a3c-497d-8169-68d758ee41c8]
	Call Bridge Group	callBridgeGroups [f1a5244a-d055-4d21-b190-c7cf8561ae19]
	Call Routing	default

### 9.5.2 Dial Transforms

When dial transforms are applied to all outbound calls, the Outbound Dial Plan Rules are applied to the transformed number.

You can use the Web Admin Interface Configuration > Outbound Calls page to control how dialed numbers are transformed. However, you need to use the API for Dial Transforms if you use Call Bridge clustering, because the shared coSpace database is a single configuration location for all Call Bridges.

There are three stages to the transform:

- A type is applied, which breaks the input number/string into components \$1, \$2 etc.
- The components are matched using regular expressions to see if the rule is valid
- An output string is created from the components according to the defined transform

The following Dial Transforms are configured:

Outbound Dial Transforms	
ID	Details

Outbound Dial Transforms		
ID	Details	
0ee0e655-88d0-4433-ba00-c869f84d7e52	Type	raw
	Transform	78..
	Priority	0
	Action	accept
2c0f9c9a-1527-4f44-bbc9-f50ea34a61a1	Type	strip
	Transform	78..
	Priority	0
	Action	accept

## 9.6 IVR

Interactive Voice Response (IVR) is used to manually route to pre-configured calls. Incoming calls can be routed to the IVR where callers are greeted by a prerecorded voice message inviting them to enter the ID number of the call or space that they want to join. Video participants will see a welcome splash screen. After entering the ID, users are routed to the appropriate call or space, or prompted to enter a PIN if the call or space has one.

The following Interactive Voice Responses (IVRs) are configured:

IVR		
ID	Details	
097e0e5d-c798-4225-86d2-94df1e16501d	Uri	http://10.5.1.1/ivr.aspx
	Tenant	tenant1 [e135fe4a-f019-42b4-a114-9e06e763d328]
	Ivr Branding Profile	4efb066f-c2f2-4f0d-93a9-da78962f391b
	Resolve Co Space Call Ids	true
	Resolve Lync Conference Ids	false

## 10 Command Line Output

This section contains status and configuration objects obtained via the command line.

### 10.1 Server 10.5.1.131

This section contains status and configuration objects obtained via the command line.

- hostname
- ipv4 a
- ipv6 a
- ipv4 b
- ipv6 b
- ntp server list
- timezone
- dns
- user list
- syslog
- webadmin
- callbridge
- webbridge
- xmpp
- xmpp callbridge list

#### 10.1.1 Hostname of CMS

hostname
acano

### 10.1.2 IPv4 Address Port A

#### ipv4 a

IPv4 configuration:  
address 10.5.1.131  
default true  
dhcp false  
enabled true  
gateway 10.5.1.1  
macaddress 00:0C:29:80:8E:AB  
prefixlen 24  
IPv4 observed values  
Addresses:  
10.5.1.131/24  
Routes:  
source destination gateway global  
0.0.0.0 10.5.1.131 0.0.0.0 false  
0.0.0.0 10.5.1.0 0.0.0.0 false  
0.0.0.0 10.5.1.0 0.0.0.0 false  
0.0.0.0 10.5.1.255 0.0.0.0 false  
0.0.0.0 0.0.0.0 10.5.1.1 true

### 10.1.3 IPv6 Address Port A

#### ipv6 a

No configuration data for interface a  
IPv6 observed values  
Addresses :  
Routes :  
source destination gateway

### 10.1.4 IPv4 Address Port B

#### ipv4 b

No configuration data for interface b  
No observed values for interface b

### 10.1.5 IPv6 Address Port B

#### ipv6 b

No configuration data for interface b  
No observed values for interface b

### 10.1.6 ntp server list

#### ntp server list

No NTP servers defined

### 10.1.7 Time Zone Configuration

#### timezone

Etc/UTC

### 10.1.8 used DNS server to resolve DNS

#### dns

```
DNS Configuration
{
  "status": "running"
}
```

### 10.1.9 User List

#### user list

USERNAME	ROLE	PASSWORD	EXPIRY	LOGGED IN
admin	admin	2021-Sep-12	yes	

---

### 10.1.10 Syslog Configuration

<b>syslog</b>
Remote server not enabled

### 10.1.11 WebAdmin Configuration

<b>webadmin</b>
Enabled : true TLS listening interface : a TLS listening port : 443 Key file : .key Certificate file : .crt HTTP redirect : Disabled STATUS : running

### 10.1.12 Call Bridge Configuration

<b>callbridge</b>
Server not configured

### 10.1.13 Web Bridge Configuration

<b>webbridge</b>
Unknown command "

### 10.1.14 XMPP Configuration

<b>xmpp</b>
Unknown command "

### 10.1.15 XMPP Call Bridge Configuration

<b>xmpp callbridge list</b>
Unknown command 'xmpp'



